

Tool TRENDS

Electrical



EVERYTHING FIRMLY IN HAND!

When it comes to CIMCO screwing tools, we can look back on a history which goes a long way back:

According to recordings, the first screwing tools as we know them today were already used at the end of the 17th century. It is interesting that the metal screw did not gain importance until the industrial revolution in the 19th century. It is difficult to believe that screw threads were notched in manually before that.

The term "screwdriver" became common parlance which can be traced back to the origin: Inserting or tightening a wood screw in wood.

When CIMCO was founded in 1827, the company was already involved in producing such screwing tools. We have been optimising the wide range of products since then and this year as well, are able to introduce a number of innovative products.



cimco[®]

W E R K Z E U G F A B R I K

VDE torque screwdriver set, 9-part

 1000 V

- Adjustment of the torque without additional tools
- 1 - 5 Nm, Adjustment steps in 0.02 Nm steps
- Audible click when the torque is reached
- Two component handle with replacement blade holder and locking system
- Replacement blades completely insulated
- Insulated according to IEC 60900 to 1000 V AC and GS-tested
- Length: 240 mm, weight: 500 g

Scope of delivery:

- VDE screwdriver handle
- Replacement blades for slot-headed screws
3.0 x 0.4 x 100 mm · 4.0 x 0.8 x 100 mm
5.5 x 1.0 x 100 mm · 6.5 x 1.2 x 100 mm
- Replacement blades for crosshead screws PH 1 - PH 2 x 100 mm
- Replacement blades for crosshead screws PZ 1 - PZ 2 x 100 mm
- In a practical nylon bag with a belt loop

CIMCO article no. 11 4806



VDE screwdriver replacement blades, 8 piece set

 1000 V

- Screwdriver handle in two-component design
- Replacement blades completely insulated
- Plug-on rotating cap for electronic work
- Insulated according to IEC 60900 to 1000 V AC and GS-tested
- Length: 220 mm, weight: 350 g

Scope of delivery:

- VDE screwdriver handle
- Replacement blades for slot-head screws
2.5 x 0.4 x 100 mm · 3.5 x 0.6 x 100 mm
4.0 x 0.8 x 100 mm · 5.5 x 1.0 x 100 mm
- Replacement blades for crosshead screws PH 1 - PH 2 x 100 mm
- Rotating cap for replacement blades
- In a practical nylon bag with hanging loop and belt loop

CIMCO article no. 11 7860



VDE screwdriver replacement blades, 18 piece set

   1000 V

- Screwdriver handle in two-component design
- Replacement blades completely insulated
- Plug-on rotating cap for electronic work
- Insulated according to IEC 60900 to 1000 V AC and GS-tested
- Length: 220 mm, weight: 500 g

Scope of delivery:

- VDE screwdriver handle
- Replacement blades for slot-head screws
2.5 x 0.4 x 100 mm · 3.5 x 0.6 x 100 mm
4.0 x 0.8 x 100 mm · 5.5 x 1.0 x 100 mm
- Replacement blades for crosshead screws PH 1 - PH 2 x 100 mm
- Replacement blades for crosshead screws PZ 1 - PZ 2 x 100 mm
- Replacement blades for TORX® screws T 10 - T 15 - T 20
- Replacement blades with square socket 6 - 8 x 100 mm
- Replacement blades with triangular socket 9 x 100 mm
- Replacement blades with two-way key bit 5 x 100 mm
- Rotating cap for replacement blades
- Voltage tester 110-250 V
- In a practical nylon bag with hanging loop and belt loop



CIMCO article no. 11 7862

Bit case with adjustable ratchet function, 10-part

- Ergonomically shaped bit case is easy to hold in your hand
- Magnetic bit holder integrated in the housing so it can't be lost
- Length 100 mm, weight approx. 170 g

Content:

- Magnetic bit holder, 60 mm
- one bit each 1/4", 25 mm long
for slot-head screws 2.5 - 3 - 4 - 4.5 mm
for crosshead screws PH 2
for crosshead screws PZ 2
for TORX® screws T 15 - T 20



CIMCO article no. 11 4594

Nut driver bit holder

- Can be used as a nut driver adapter or a bit holder by simple sliding the sleeve
- It can also be slid when fixed in a cordless screwdriver
- Tool holder both 1/4" external hex socket and square socket
- Length 70 mm, weight approx. 30 g



CIMCO article no. 11 4504

Nut driver bit case, 37 piece set

- In stable aluminium case
- Length: 130 mm, weight: 320 g

Content:

- Bit holder with quick release, 65 mm
- 1/4" Adapter to hold nut drivers
- one bit each 1/4", 25 mm long:
 - for slot-head screws 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 mm
 - for crosshead screws PH 1 - PH 3
 - for crosshead screws PZ 1 - PZ 3
 - for Hex socket 3 - 4 - 5 - 6 mm
 - for TORX® T 10 - T 15 - T 20 - T 25 - T 27 - T 30 - T 40
 - for TORX® with bore T 10 - T 15 - T 20 - T 25 - T 27 - T 30 - T 40
- three bits each 1/4", 25 mm long:
 - for crosshead screws PH 2
 - for crosshead screws PZ 2



CIMCO article no. 11 3158

Nut driver bit case, 16 piece set

- In stable aluminium case
- Length: 130 mm, weight: 300 g

Content:




- Mini reversible ratchet with hexagon socket drive
- 1/4" Adapter to hold nut drivers
- Nut driver size 7 - 8 - 10 - 11 - 13 mm
- one bit each 1/4", 25 mm long:
 - for slot-head screws 3 - 5 - 6 mm
 - for crosshead screw PH 1 - PH 2 - PH 3
 - for Hex sockets 3 - 4 - 5 mm



CIMCO article no. 11 3156

EXPERT TIP

Work on live parts may only be carried out under certain safety conditions. This includes the use of tools manufactured especially for this which is mandatory. All insulated CIMCO tools have the VDE test mark.

   **1000 V** So it is important before using all VDE tools that you make sure that they have the test mark and that the products are not damaged. This is the only way to make sure you are working safely.

Screwing tools with torque should be calibrated at least once a year or after 5000 load changes.



www.cimco.de

cimco®
W E R K Z E U G F A B R I K