

A strong DUO!

The tried and trusted CIMCO DUOCUT cable shears for copper and aluminium cable are getting support: The CIMCO DUOCUT 12 cable shears!

As already with the "small" DUOCUT, the DUOCUT 12 features two different cutting areas: The first, smaller precision blade cuts through individual wires with a diameter of up to 10 mm. The second, larger precision blade is positioned closer to the joint to be able to cut through sheathed cables of up to 12 mm diameter.

This allows optimal use of manual force, making cutting easier. Both cutting zones ensure that cables are cut deformation-free and precisely.



DUOCUT cable shears

- Two-stage cutting area:
 1. Large blade for cable sheathing up to max. 10 mm \varnothing
 2. Small blade for individual wires up to max. 4 mm \varnothing
- The plier handles can be opened up to 140° meaning you can cut cable longitudinally as well
- With multi-component handle sleeves
- VDE/GS tested
- According to DIN EN 60900 (VDE 0682-201)
- Design: 160 mm
- Weight: 175 g

CIMCO article no. 12 0108

 1000 V



Available from July 2018



DUOCUT 12 cable shears

- Two-stage cutting area:
 1. Large blade for sheathed cables up to max. 12 mm \varnothing
 2. Small blade for individual wires up to max. 10 mm \varnothing
- The plier handles can be opened up to 140° meaning you can cut cable longitudinally as well
- With multi-component handle sleeves
- VDE/GS tested
- According to DIN EN 60900 (VDE 0682-201)
- Design: 200 mm
- Weight: 300 g

CIMCO article no. 12 0112

Lengths ahead!

The CIMCO inside-socket sheath stripper wand is perfectly suited for working in device sockets and junction boxes.

The tool length selected to suit deep device sockets offers the user particular convenience: Working in front of the device socket is easy and the cable can be stripped without any problems.

Fingers are kept well away from the sharp edges of the socket opening and the handle zone with soft components allows enough force to be transferred to the tip of the tool.

It is not necessary to adjust the cutting depth to the respective diameter, as the four especially shaped blades automatically adjust to the respective round cable.

Inside-socket sheath stripper wand

- For all common round cables of 8 - 13 mm ø
- Titanium nitride coated blades guarantee a very long service life and extremely good sliding properties
- Secure hold thanks to ergonomic, anti-slip 2-component handle zone
- Four-blade layout reduces force required and increases precision
- Inscription panel makes it easier to personalise the sheath stripper
- Length scale
- TÜV/GS tested



»JOKARI®
original



CIMCO article no. 12 2027

A sensible addition!

What is making the familiar CIMCO COAXI cable sheath stripper for coaxial cable even better?

It is the small black nut driver at the end of the cable sheath stripper which saves the installer a lot of time and effort, particularly when working on installations up a ladder.

With immediate effect, the nut driver size 11 will be supplied as an accessory to the COAXI cable sheath stripper. Retrofitting existing tools is really easy.

How is the new nut driver inserted?

To insert it, the cable sheath stripper is opened and the nose of the nut driver is inserted under the axle at the rear end. The nut driver is pushed downward until it audibly clicks into place.



»JOKARI®
original

Cable sheath stripper COAXI

- For all common cables from 4.8 - 7.5 mm ø
- Especially suited for coaxial cable (antenna cable)
- With immediate effect including nut driver size 11

CIMCO article no. 12 0027

Nut driver size 11 - accessory

- Made of highly rigid, glass fibre reinforced plastic
- For tightening F-sockets (HEX 11)
- For retrofitting the COAX cable sheath stripper

CIMCO article no. 12 2127

Brilliantly beautiful!

The new CIMCO-LED pen light in pocket format stands out due to its two different lighting options. The switchover button allows you to choose between full and 1 point illumination 2.

The lithium-ion battery of the pen light can easily be recharged using the lockable USB connection on the bottom.



The practical attachment clip for your shirt or trouser pocket is equipped with two strong magnets. These hold it securely fastened to any metallic objects. The locking mechanism of the clip ensures that the light remains in the desired position.



LED Pen lamp

- Can be switched between full and point illumination
- Equipped with lithium ion batteries 3.7 V 300 mAh, rechargeable via USB connection
- Micro-USB cable included in the scope of delivery
- Overcharge protection
- Attachment clip with 2 integrated strong magnets for a secure hold on metallic surfaces

CIMCO article no. 11 1524

Exceptionally precise!

The new CIMCO spirit levels with a digital display are impressive with their ability to quickly and accurately measure the angle.

The measured values are easy to read on the digital display and are exceptionally precise: 0.1° max. deviation in normal and vertical position; 0.2° in other positions. The spirit levels are particularly suitable for adjusting and transferring angle measurements as well as finding angles and the plumb line. Upon reaching 0°, 45° and 90°, they buzz.

The rain-proof and dust-resistant spirit levels are easy to use even when wearing gloves thanks to the large silicone buttons.



① Professional digital magnetic spirit level with laser pointer

- Plumb-Site® Dual-View™ level, acrylic glass block levels, shock-resistant end caps
- LCD display at a 45° angle with backlighting, does not turn when the spirit level is turned
- HOLD function
- MODE function degree/percent/angle
- Re-calibration function and "False Zero"
- Memory recall for up to 9 measurements
- 9V-battery with charge display
- Two finely milled measurements surfaces with rare earth magnets
- Laser pointers align the angle of the spirit level to a remote point up to 50 m away
- 1/4" thread in bottom of housing to easily mount it on a tripod
- Length: 60 cm, weight: 740 g

CIMCO article no. 21 1534

② Professional digital magnetic spirit level

- Plumb-Site® Dual-View™-level, acrylic glass block levels, Ergo Grip™ handles, shock-resistant end caps
- LCD display at a 45° angle with backlighting, does not turn when the spirit level is turned
- HOLD function
- MODE function degree/percent/angle
- Re-calibration function and "False Zero"
- Memory recall for up to 9 measurements
- 9V-battery with charge display
- Two finely milled measurements surfaces with rare earth magnets
- Length: 60 cm, weight: 686 g

CIMCO article no. 21 1532



www.cimco.de

cimco®
W E R K Z E U G F A B R I K