



2022
OUTDOOR LIGHTING
European Warehouse Portfolio

LUTEC

ECW Portfolio

OUTDOOR LIGHTING 2022

LUTEC China Head Office
CN8, Far-East Industry Park,
Yuyao, Zhejiang, China
+86-574-62760832
info@lutec.net

LUTEC Europe Regional Office
Herentalsebaan 425
2160 Wommelgem, Belgium
+32 3 284 51 62
info@lutec-europe.com

LUTEC in Germany
Austria - Switzerland
ECO-LIGHT Leuchten GmbH
+49-228-9691090
sales@eco-light.biz

LUTEC in France
Prof & Wholesale channel
LUTEC France S.A.S
+33-04-75602598
commande@lutec-france.fr

DIY & Specialist channel
COREP SAS
+33-05-56 49 96 00
contact@corep.com

LUTEC in Iberia
Prof & Specialist channel Spain
Silumin S.L.
+34 93 892 40 51
silumin@silumin.es

Prof & Specialist channel Portugal
Duarte Neves LDA
+351 219 668 100
info@duarteneves.pt

DIY & Garden channel
Spain & Portugal
LUTEC Lighting Iberia S.L.
+34 670 85 45 57
administracion@luteciberia.com

LUTEC in Hungary-Slovenia-Croatia
Czech-Slovakia
LUTEC Lighting Kft
+36 30 897 8494
Info@lutec.hu

LUTEC in Poland
DELIGHTING Polska
+48 61 4367 481
kontakt@delighting.pl

LUTEC in Belgium - The Netherlands
WEBRANDS Benelux
+32 3 369 26 16
info@webbrands.eu

LUTEC in Italy
Lightec Srl.
+39 031 3551342
info@lightecsrl.com

LUTEC in Greece - Cyprus
Samba - Eliezer
+30 2104820946
info@samba-eliezer.gr

LUTEC in United Kingdom - Ireland
LUTEC UK Ltd
+44 (0) 1992 760870
sales@lutecuk.com

LUTEC in Denmark
LUTEC Scandinavia A/S
+45 31 63 16 11
Sales@lutec-scandinavia.com

LUTEC in Ukraine
Eurotrade
+38 044 496 74 83
anton@eurotrade.net.ua

LUTEC in Russia
Oasis Light
+7 499 5501529
agata-v@rambler.ru

LUTEC in Israel
Nisko Group LTD.
+972-72-2400636
info@niskoelec.com

LUTEC in United States - Canada
LUTEC USA LLC
+(704) 980 4135
shelley.greenberg@lutec.net

LUTEC in Iraq
Al-Riyad Group Co. Ltd.
+964 782 2222033
info@alriyad.iq

LUTEC in South Korea
Belko Co., Ltd
+82 2 465 0603
belko@belko.co.kr

LUTEC in Chile
Manufacturas Eléctricas ByP Ltda.
+56 228 769 400
online@byp.cl

China Central Warehouse in
Yuyao

European Central Warehouse
Bornem- Belgium


www.lutec.com



CONNECTED BY LIGHTING

22

OUTDOOR LIGHTING



Hello,
nice to meet you
we are

LUTEC

CONNECTED BY LIGHTING

one LUTEC, one **lighting** world

We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

At LUTEC we truly focus and comprehensively embrace exterior lighting.

Our categories include Architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, Decorative products ranging from period classics to ultra modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies, all to support the ever changing climates around the World

LUTEC now leads the market in connected exterior lighting, with products to enhance the appearance of any exterior, flexible mood lighting, colour changing, dimming and scene setting all controlled via our Apps or remote controls, compatible with tier one Wi - Fi and Bluetooth platforms.

One world, different faces, different segments developed with the same concern of quality and efficiency.

discover what's new

LUTEC SOLAR



Finally solar lighting is becoming smart!

LUTEC is introducing a breakthrough concept in garden lighting, giving a complete answer to all your uncertainties.

No electricity consumption - No electric wiring

100% green renewable solar energy. Hassle free and super-fast installation, avoid a costly electric wiring installation in your garden or around your house.

Splendid light - Versatile fixtures

Wall lights, Flood Lights, Bollard & Spike lights, featuring high lumen light outputs. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.

Convenient, comfortable & personal

Open the LUTEC connect App, take full control and discover the full smart lighting experience. You can create and program the perfect outdoor atmosphere for every occasion. All night long!



LUTEC new camera-lights: everything under **control!**

As market initiator, LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

Brilliant Lights & Superb Recordings

All-round range of decorative and functional camera light fixtures, powered for impressive lighting. High-definition video recording during day time and at night.

Fast connection and Stable streaming

Thanks to the combination of Bluetooth MESH and WIFI technologies: Quick and convenient start-up process. Secure and solid Audio and Video streaming to your smart phone or tablet, wherever you are.

Warm Welcome - Safe Home

With the LUTEC connect App, you can control all parameters and adjust all possible settings to assure a personal and comfortable environment for your family and your visitors in and around your home.



+



always **connected** with your home



there's a new tradition

Cottage flair around your house. LUTEC further extends their successful Tradition series with retrofit solutions.

Compact and Medium Lanterns

The new traditional series SHIVA, ZAGO, PINE & WEST featuring small coach lanterns solutions and more outspoken medium size models.


Range extensions

We've added some extra versions to the popular families : KELSEY & FIA
The new pendant, pedestal and 3 light big post models can be used to complete your light plans.

Vintage style LED filament bulbs

You can apply the newest decorative filament LED bulbs, these lamps are now available in all forms & shades. The connected and tuneable models will facilitate the full control, displaying your personal desire.

A warm amber glow will turn your garden into a cosy and charming surrounding.



just what I needed

LUTEC is introducing a number of new outdoor items, each of them having some extra characteristics, resulting in a 100% answer to consumers wants and needs for their outdoor lighting installations.

LUTEC connect Hub, expanding the connected experience

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network.

Up & Down lights revisited

RIDGE and BRUND wall lights, evergreen designs with an actual touch. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns around your house.

Extreme Climate Proof

VIDAR and RAN models with a hot galvanised body are perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty.

Convenient tuneable lights

The elegant, flat ceiling light SWEEP comes with an integrated manual switch to select the desired colour temperature. Warm White or Cool White.

Matching designs

The new DOBLO-long wall light, allows you to combine a similar design, available in a Solar version and in an Electrified version.



outdoor lighting



connected light



architectural



tradition

our **7** activity
segments



security



solar



functional



accessory



**make your
outdoor life
smarter**

connected light

portable



wall



spike



bollard




accessory



make your
outdoor life
smarter

LUTEC
connect



Control & Adjust your lights
From your bedroom to your garden



CCT+RGB whites & colors




Splendid light

The way it was meant to be seen

The ambiance of light should fill your home as purely and genuinely as possible. Enhanced by LUTEC Connect dynamic CCT & RGB colour tuning technology. It's about freedom without compromise.

CCT adjustable whites



the No Worry Technology



We offer an accessible, simple and reliable solution. No need to be a "geek" to install or use LUTEC connect.

- ☒ **Easy to set**
In 5 minutes, your account is created and you can use your first light
- ☒ **All the main functions without Internet access***
Thanks to Bluetooth Mesh, it will work without limitation
- ☒ **Fast & stable Bluetooth connection**
You can rely on this technology, it's simple so it's efficient at any time
- ☒ **Up to 100 lights connected**
No limitation, plug in as many lights you need
No network saturation
- ☒ **Indoor & outdoor control**
Bluetooth MESH allows connection of indoor and outdoor lights.
- ☒ **Range up to 50 meters**
Stay in your sofa peacefully, and control all the lights
- ☒ **Safe and trustful**
No Cloud, no risk, all your personal data will be safe
- ☒ **Home family friendly solution**
The app could be shared to tell all family and a remote control is always near by
- ☒ **Connected or not connected, it's your choice**
All LUTEC connect products work perfectly even if you don't install the app !

the LUTEC connect app

For a full smart lighting experience




CCT settings




RGB settings



Scenes



Group control



Easy to pair



Step by step pairing process



Light and accessories



Voice Control Compatible



With additional Access Box

one app does it all !



the smart remote control

With Double Integrated function

Simplicity is our promise, as nothing beats the convenience of remote control
Full functionality without Internet access
No Router & No Wifi required



Point & Play
in the room

Infra Red individual control

ON/OFF
Tunable White
Dimming
Colours
Scenes

Night Light
Work light
Party
Fire
Forest
Ocean
Romantic




REMOTE
9702315361

Control every light

Inside or outside the house

Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).
I/O push button switches on-off all the lights of the same group.

why Bluetooth Mesh ?

Full scalability towards all your indoor and outdoor living spaces

Bluetooth technology, the global standard for wireless connectivity, now supports mesh networking


Easy & stable connection
Long range indoor & outdoor
Connect up to 100 devices



expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home



The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Hey Google, turn on the light!



Alexa, change the light in blue!



Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.



visit the dedicated website

to support and inspire our consumers in their experience


www.lutec-connect.world




LUTEC
connect





touch control



app control



charging



* Dimming




Adjustable whites

2700 K 6500 K




Activity lights



noma

portable

NOMA is a modular, spheric light which can be used at any desired place indoor & outdoor. Create diverse coloured light scenes by means of App, Touch or Remote control. The starter kit comes with 2 light modules and a charger station (incl. USB cable). Multiple extension possible with the NOMA+ additional module.




smart lighting technology



White

8506201331

CLASS III
IP44
2xLED 2.3W
1200mAh
2x3.7V Li-ion battery
2x150 Lumen
Synthetics



8506204331

CLASS III
IP44
LED 2.3W
1200mAh
3.7V Li-ion battery
150 Lumen
Synthetics





*** Dimming**

Ajustable whites

2700 K 6500 K

RGB

Activity lights

Night
 Reading
 Relaxing
 Party

Fire
 Ocean
 Forest
 Romance

pepper

portable


PEPPER is a modern, design award winning portable table lamp which is suitable both indoors and outdoors. It can be positioned, moved as desired and the brightness can be adjusted. The battery is easy to charge via the USB connector and included charging cable. PEPPER invites you to lift it up and take it wherever you want. Take it on a picnic or create cozy lighting in your living room. PEPPER is made of hard plastic and is durable against wind and water.

1	200lm(2700K)	3H
2	200lm(4500K)	3H
3	15lm(2700K)	48H
4		7H
5		OFF



White **8500102331**

CLASS III
IP54
LED 4.5W
2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics





mini leto

spike & wall

Give your garden extra atmosphere with this MINI LETO outdoor garden lighting. The integrated connected LED module will not only feature warm white or bright white light but any color you want. Two way installation possible.




smart lighting technology



Dark Grey

6602903424

CLASS II
IP65
LED 8W
400 Lumen
Die Cast Aluminium



* **Dimming**

Ajustable whites


2700 K 6500 K

RGB

Activity lights

Night
 Reading
 Relaxing
 Party

Fire
 Ocean
 Forest
 Romance



cuba

wall

Rectangular, modern & versatile outdoor wall light with integrated connected LED module suitable for vertical and horizontal mounting. The light head with double diffuser can be rotated over 90°. Also available with motion sensor.





smart lighting technology



Dark Grey

5193810118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminium





dropsi

wall

Make your garden an inviting place with this contemporary DROPSI wall lamp. The movable spotlight head consists of a double diffuser that will accentuate your outdoor space and, in combination with the connected LED module, will create a very nice immersive effect.




smart lighting technology



Dark Grey

5010901118

CLASS I
IP44
LED 8.6W
690 Lumen
Die Cast Aluminium



* Dimming



Ajustable whites



Activity lights



Night



Reading



Relaxing



Party



Fire



Ocean



Forest



Romance



dropa

wall & bollard

The DROPA outdoor wall & bollard light in anthracite grey with integrated connected LED module is made of durable aluminium. The design consists of a double diffuser, one transparent and one opal, that will diffuse in a 360° radius for optimal illumination of paths and other outdoor areas.




smart lighting technology



Dark Grey



5000501118

CLASS II
IP44
LED 9.5W
500 Lumen
Die Cast Aluminium



7200501118

CLASS I
IP44
LED 9.5W
500 Lumen
Die Cast Aluminium





► “Also available in non connected version” see page 99/101

*** Dimming**

Ajustable whites

2700 K 6500 K

RGB

Activity lights

Night Reading Relaxing Party

Fire Ocean Forest Romance



qubo

wall & bollard

QUBO dark grey wall & bollard light diffuse a stunning homogenous connected light. Ideal for general lighting in your garden or terrace.




smart lighting technology



Dark Grey

5193004118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium



7193003118

CLASS I
IP54
LED 16W
1000Lumen
Die Cast Aluminium





* **Dimming**

Ajustable whites

2700 K 6500 K

RGB

Activity lights

Night
 Reading
 Relaxing
 Party

Fire
 Ocean
 Forest
 Romance

kira

wall & bollard

The KIRA outdoor connected LED wall & bollard light featuring a bended and frameless diffusor. Distributes a homogenous white light to illuminate walls, pathways and other open spaces around your home.




smart lighting technology



Dark Grey


5288909118

CLASS I
IP54
LED 19W
1200 Lumen
Die Cast Aluminium





7288906118

CLASS I
IP54
LED 19W
1200 Lumen
Die Cast Aluminium





► “Also available in non connected version”see page 139



gemini

Wall Up & Down

Minimalistic die-cast wall light with a light output of 900 lumen, the light beam will cover the full surface in the two directions. This elegant 'brick' light in dark grey ensures a perfect light beam thanks to the connected LED module.




smart lighting technology



Dark Grey


5189120118

CLASS I
IP54
LED 17W
900 Lumen
Die Cast Aluminium





touch control



Light on/off

app control



timer function



mains

bollard

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network. Convenient full control with the LUTEC connect App including Timer function. Or basic touch control with light on/off button. Comes with two side-earth sockets. Total power supply up to 3500W.



smart lighting technology



Matt Black

7202201012

CLASS I
IP44
LED 11W
750 Lumen
16A - Max. 3500W
Die Cast Aluminium





light up
your garden
in **style**

architectural

wall



NEW
CONROY
5107001118 / P55



CUBA
5193811118 / P57



CUBA
5193801118 / P59



CUBA
5193801012 / P59



CUBA
5193808118 / P59



CUBA
5193803118 / P63



CUBA
5193803012 / P63



CUBA
5193814118 / P63



FELE
5196301118 / P67



EKLIPS
5199001118 / P69



CYRA
5198101118 / P71



CYRA
5198101012 / P71



CYRA
5198102118 / P71



CYRA
5198104118 / P73



CYRA
5198104012 / P73



MINI LEDSPOT
5614401118 / P75



TRUMPET
5626001118 / P77



TRUMPET
5626101125 / P77



EXPLORER
6609202118 / P79



PANO
5289001118 / P81



NEW
POLO
5205701118 / P83



NEW
POLO
5205702118 / P83



MERIDIAN
5616302118 / P85



MERIDIAN
5616304118 / P85



GHOST
5188003118 / P89



ALICE
5194301118 / P91



APOLLO
5188801118 / P93



KIRA
5288902118 / P95



KIRA
5288903118 / P95



QUBO
5195401118 / P97



QUBO
5193001118 / P99



QUBO
5193002118 / P99



CRUZ
5199201118 / P103



DOBLO
5197002125 / P105




DOBLO
5105001125 / P107



DOBLO
5105002125 / P107



DOBLO
5105003125 / P109



NEW
DOBLO
5107401125 / P109



ADALYN
5193602118 / P111



BATI
5188601125 / P113



BATI
5188602125 / P113



BOX CUBE
5184601118 / P117



NEW
FULTON
5207601012 / P119



CITY
5183601118 / P121



URBAN
5196501118 / P123



URBAN
5196504118 / P123



LOTUS
5193201118 / P125



GEMINI BEAMS
5104005118 / P127



GEMINI BEAMS
5104003012 / P127



NEW
GEMINI BEAMS
5104003032 / P127



NEW
GEMINI BEAMS
5104006012 / P129



GEMINI XF
5104001118 / P131



GEMINI XF
5104002012 / P131



GEMINI XF
5104004001 / P131



GEMINI
5189114118 / P135



GEMINI
5189125012 / P135



GEMINI
5189102118 / P137



GEMINI
5189113118 / P137



GEMINI
5189102032 / P137



GEMINI
5189103118 / P137



NEW
GEMINI
5189135118 / P137



GEMINI
5189101118 / P139



GEMINI
5189112118 / P139



GEMINI
5189112012 / P139



GEMINI
5189104118 / P141



BONN
6330401118 / P143



BONN
6330402001 / P143



FANCY
5102501001 / P145



MAYA
5198302001 / P147



MAYA
5198401001 / P147



NEW
RAN
5011701461 / P149



NEW
VIDAR
51011602461 / P151



LEO
5192701118 / P153



LEO
5192701335 / P153



LEO
5192701330 / P153



NEW
LEO
5192702335 / P153



NEW
BRUND
5206701118 / P155



NEW
RIDGE
5107101118 / P157



FOCUS
5604021001 / P159



FOCUS
5604011118 / P161



FOCUS
5604011112 / P161



FOCUS
5604011118 / P161



NEW
FOCUS
5604023118 / P163



NEW
FOCUS
5604023012 / P163



NEW
FOCUS
5604023112 / P163



FOCUS
5605013118 / P167



BULLO
6383001012 / P169



BULLO
6383001445 / P169



NEW
HELENA
6402105012 / P181



HELENA
6402101118 / P181



NEW
HELENA
5191605012 / P185



HELENA
5191601118 / P185



HELENA
5191602118 / P185

wall & ceiling



FOCUS
6304201118 / P165



ROLA
6382201118 / P171



ROLA
6382201012 / P171



UBLO
6348102112 / P173



UBLO
6348101112 / P173



TITAN
6336201118 / P175



NEW
SWEEP
6303401118 / P177



SEINE
6338201118 / P179



HELENA
5102101118 / P183

spike



EXPLORER
6609201118 / P79

bollard



NEW
CONROY
7207001118 / P55



CUBA
7193801118 / P61



CUBA
7193803118 / P61



CUBA
7193802118 / P65



CUBA
7193802012 / P65



CUBA
7193805118 / P65



FELE
7196301118 / P67



CYRA
7198101118 / P73



CYRA
7198101012 / P73



MINI LEDSPOT
7214603118 / P75



PANO
7289001118 / P81



NEW
POLO
7105701118 / P83



MERIDIAN
7216412118 / P87



KIRA
7288902118 / P95



QUBO
7193001118 / P101



QUBO
7193004118 / P101



CRUZ
7199201118 / P103



BATI
7188601125 / P115



NEW
FULTON
7207601012 / P119



GEMINI XF
7104001118 / P133



GEMINI XF
7104002012 / P133



FOCUS
7204803118 / P165



MAINS
9702201012 / P187



MAINS
9702202012 / P187



MAINS
9702203012 / P187




conroy

wall & bollard

What makes the CONROY wall & bollard light very multifunctional is its rotatable light components. You can shine these up or down and play with the light.



The lamp comes with an integrated LED, which shines warm white light of 3000K.



Dark Grey




5107001118


CLASS I
IP44
LED 17.8W
1300 Lumen
Die Cast Aluminium



7207001118

CLASS I
IP44
LED 17.8W
1300 Lumen
Die Cast Aluminium





cuba

wall



Modern & versatile outdoor wall light with integrated LED module. The light head with double diffuser can be rotated over 90° and is equipped with a motion sensor and powerful lightbeam of more than 1000 lumen.




Dark Grey

5193811118

CLASS I
IP54
LED 14W
1000 Lumen
Die Cast Aluminium





cuba

wall



Modern & versatile wall lights suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up – down or side light effects. Available with a warm white and daylight white integrated LED module.



Matt Black
Dark Grey



5193801012
5193801118

CLASS I
IP54
LED 12.2Wx2
1000 Lumen
Die Cast Aluminium



5193808118

CLASS I
IP54
LED 12.2Wx2
1000 Lumen
Die Cast Aluminium




reddot design award
winner 2019





reddot design award
winner 2019



cuba

bollard



This modern outdoor bollard is your best friend and companion. With its 75cm the CUBA bollard leads you along the darkest paths. And that's not all, it's available with a warm white and daylight white integrated LED module. Both versions will create an excellent atmosphere.



Dark Grey


7193801118

CLASS I
IP54
LED 12.2Wx2
900 Lumen
Die Cast Aluminium



7193803118

CLASS I
IP54
LED 12.2Wx2
900 Lumen
Die Cast Aluminium






cuba

wall



CUBA, design award winning LED light, now available in a one head version with warm light or daylight integrated LED module. Resulting in a compact solution providing the same superb lighting effects and orientation flexibility.



Matt Black
Dark Grey




5193803012
5193803118

CLASS I
IP54
LED 12.2W
500 Lumen
Die Cast Aluminium



5193814118

CLASS I
IP54
LED 12.2W
500 Lumen
Die Cast Aluminium





**Integrated
Dusk to Dawn
Sensor**



cuba

bollard

Our award-winning bollard version of the CUBA features one orientable head. This model is also available with an integrated side earth socket.



**BLACK
edition**


Matt Black
Dark Grey

7193802012
7193802118

7193805118


CLASS I
IP54
LED 12.2W
500 Lumen
Die Cast Aluminium


3000K



CLASS I
IP54
LED 12.2W
500 Lumen
16A - Max. 3500W
Die Cast Aluminium

3000K





Fele

wall & bollard


Wall & bollard light FELE brings outdoor lighting with an architectural value, including rotatable head. FELE wall light fits perfectly at your front door, the head can give an up or down powerful lightbeam. A combination of technical excellence and tasteful design.




Dark Grey

5196301118


CLASS I
IP54
LED 13.5W
1000 Lumen
Die Cast Aluminium


 3000K




7196301118

CLASS I
IP54
LED 13.5W
1000 Lumen
Die Cast Aluminium

 3000K





eklips

wall


Multi purpose LED Outdoor wall light with two half-moon shape diffusers. You can turn these two lighthoods over an angle of 90°, creating a combination of an Up & Down light, a wall washer or a frontal light effect.



Dark Grey

5199001118

CLASS I
IP54
LED 13W
1000 Lumen
Aluminium+Synthetics





cyra

wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.



Matt Black


Dark Grey

5198101012

5198101118

CLASS I
IP54
LED 16.1W
950 Lumen
Die Cast Aluminium



3000K



5198102118

CLASS I
IP54
LED 16.5W
1000 Lumen
Die Cast Aluminium

3000K






cyra

wall & bollard

Tubular outdoor LED light with a combination of anthracite grey or mat black body and opal white diffuser. The moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or frontal diffuse lightbeam. Now also available in a compact one head version as a wall or bollard light.





Matt Black

5198104012

Dark Grey

5198104118



CLASS I
IP54
LED 8.2W
500 Lumen
Die Cast Aluminium



7198101012

7198101118

CLASS I
IP54
LED 8.2W
500 Lumen
Die Cast Aluminium





mini ledspot

wall


The light heads can rotate 320° and will give you a perfect solution as a spotlight or wall washer. It will create the desired ambiance.



Dark Grey


5614401118

CLASS I
IP65
LED 8.5W
605 Lumen
Die Cast Aluminium



7214603118

CLASS I
IP65
LED 8.5W
605 Lumen
Die Cast Aluminium






trumpet

wall


Accentuate your outdoor places with this powerful LED wall light with moveable spotlight. Now also available in small version with a light output of 600 lumen.



Dark Grey


5626001118

CLASS I
IP54
LED 9.5W
900 Lumen
Die Cast Aluminium



5626101125

CLASS I
IP54
LED 6.7W
600 Lumen
Aluminium+Synthetics






explorer

wall & spike


Elegant and compact spotlight orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Available in wall version and spike version with wire and plug.



Dark Grey



6609202118


CLASS I
IP54
LED 5.9W
380 Lumen
Die Cast Aluminium



6609201118

CLASS I
IP54
LED 5.9W
380 Lumen
Die Cast Aluminium





pano


wall & bollard

An elegant LED Outdoor wall & Bollard light with an ultra flat , frameless diffuser. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.




Dark Grey 5289001118

CLASS I
IP54
LED 17.5W
1300 Lumen
Die Cast Aluminium
3000K-5000K



7289001118

CLASS I
IP54
LED 17.5W
1300 Lumen
Die Cast Aluminium
3000K-5000K





polo

wall & bollard



A touch of modern simplicity and an enchanting light for your garden or patio. The POLO wall light & bollard made of aluminum offers a downward-facing, bright beam of warm-white LED light, making it ideal for lighting your outdoor spaces. The wall light model comes also with motion sensor, perfectly integrated in the luminaire base.



Dark Grey




5205701118

CLASS I
IP54
LED 15W
1100 Lumen
Die Cast Aluminium





5205702118

CLASS I
IP54
LED 16.1W
1100 Lumen
Die Cast Aluminium



7105701118

CLASS I
IP54
LED 15W
1100 Lumen
Die Cast Aluminium





meridian

wall



Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Small sized wall light gives a strong diffused light and a design statement in your garden. Now also available with an adjustable motion sensor, perfectly integrated in the luminaire base.



Dark Grey




5616302118

CLASS I
IP54
LED 16W
1100 Lumen
Die Cast Aluminium



5616304118

CLASS I
IP54
LED 16W
1100 Lumen
Die Cast Aluminium





meridian

bollard

Bollard at a perfect height which gives your pathway, terrace and garden the desired atmosphere at night without any glare.




Dark Grey

7216412118

CLASS I
IP54
LED 16W
1100 Lumen
Die Cast Aluminium



3000K





ghost

wall


Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.




Dark Grey

5188003118

CLASS I
IP54
LED 7.5W
360 Lumen
Die Cast Aluminium





alice

wall

The square light-strip creates a fascinating almost fluid effect. The house number sticker set makes the package complete.





+ 1 · A

Dark Grey

5194301118

CLASS I
IP44
LED 13.8W
800 Lumen
Die Cast Aluminium

 3000K





apollo

wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffuser radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.





Dark Grey

5188801118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium



3000K






► "Also available in LUTEC^{connect} version" see page 41



kira

wall & bollard


The KIRA outdoor LED wall & bollard light featuring a bended and frameless diffuser, distributes a homogenous white light (4000K) to illuminate walls, pathways and other open spaces around your home.



Dark Grey


5288902118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium




5288903118

CLASS I
IP54
LED 18W
1100 Lumen
Die Cast Aluminium



7288902118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium





qubo

wall

Modern small outdoor wall light creating a stunning atmosphere while making an architectural statement ideal for general lighting in your garden or on your terrace.




Dark Grey

5195401118

CLASS I
IP54
LED 9.5W
650 Lumen
Die Cast Aluminium



3000K





► "Also available in **LUTEC** version" see page 39
connect



qubo

wall



Wall light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, in your garden or on your terrace. Also available with fully adjustable PIR motion sensor.



Dark Grey




5193001118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium




5193002118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium





► "Also available in **LUTEC connect** version" see page 39



qubo

wall


QUBO dark grey bollard diffuse a stunning homogenous light. Ideal for general lighting in your garden or terrace. This model is now also available with integrated PIR motion sensor



Dark Grey



7193001118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium



7193004118

CLASS I
IP54
LED 17W
1000 Lumen
Die Cast Aluminium






cruz

wall & bollard



This dark grey cube-shaped exterior light with integrated LED is a real eye-catcher due to its modern design. The warm white light shines in all directions which give your outdoor environment a particularly beautiful appearance. Available as wall lamp and bollard.



Dark Grey




5199201118

CLASS I
IP54
LED 12.5W
1000 Lumen
Die Cast Aluminium



7199201118

CLASS I
IP54
LED 12.5W
1000 Lumen
Die Cast Aluminium



doblo

wall


This LED wall light in anthracite grey sits in a cubic holder made of durable die cast aluminium. The elegant design catches the eye and radiates powerful rays of warm white light that illuminate the wall.




Dark Grey

5197002125

CLASS I
IP54
LED 14.5W
1100 Lumen
Die Cast Aluminium


3000K





doblo

wall



This medium square DOBLO is available with 2 different kelvins, a warm white and a daylight white light. Both are anthracite grey wall lights and sit in a cubic holder made of durable die cast aluminium.



Dark Grey



5105001125

CLASS I
IP54
LED 19.1W
1500 Lumen
Die Cast Aluminium



5105002125

CLASS I
IP54
LED 19.1W
1500 Lumen
Die Cast Aluminium





doblo

wall



The DOBLO flat models, beside the square version, now also available in a long version suitable for horizontal or vertical mounting. The elegant design radiates a powerful cool white light of 2200 lumen.



Dark Grey



5105003125

CLASS I
IP54
LED 19.1W
1500 Lumen
Die Cast Aluminium



5107401125

CLASS I
IP54
LED 34W
2200 Lumen
Die Cast Aluminium





adalyn

—

wall


This compact wall light will turn your garden into an intimate place and welcomes you at home.
Smooth radiation of warm white LED light.



Dark Grey

5193602118

CLASS I
IP44
LED 10.2W
600 Lumen
Die Cast Aluminium






bati

wall

Modern & stylish wall light with integrated LED light and optional PIR sensor. Ideal for your front door or garden walls.



Dark Grey

5188601125

CLASS I
IP44
LED 13W
1100 Lumen
Die Cast Aluminium



5188602125

CLASS I
IP44
LED 15W
1100 Lumen
Die Cast Aluminium





bati

bollard


Modern and stylish bollard with integrated LED light source. Ideal for your driveway or garden path in a multiple installation .



Dark Grey

7188601125

CLASS I
IP44
LED 13W
1100 Lumen
Die Cast Aluminium





suitable for smartbulb



box cube

wall


Striking form fits in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for all kind of retrofit bulbs.



Dark Grey

5184601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium





Fulton

wall


An evergreen concept catches the eye. FULTON wall & bollard series with retrofit solution feel right at home in your garden. The robust design with multiple bars attracts the attention in any outdoor space.



Matt Black


5207601012

CLASS I
IP54
E27 Max.40W
Die Cast Aluminium



7207601012

CLASS I
IP54
E27 Max.40W
Die Cast Aluminium



suitable for smartbulb





suitable for smartbulb



city

wall

Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.



Dark Grey

5183601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium





suitable for smartbulb



urban

wall

GU10 retrofit LED Outdoor dark grey wall light, suitable for the newest smart bulbs. The invisible lightbulb creates a subtle light effect on your external walls. The URBAN is available in two executions: with a ribbed aluminium reflector or with a white diffuser.



Dark Grey


5196501118

CLASS II
IP54
GU10 LED Max.7W
Die Cast Aluminium



5196504118

CLASS II
IP54
GU10 LED Max.7W
Die Cast Aluminium





lotus

wall

Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.




Dark Grey

5193201118

CLASS I
IP54
LED 11W
500 Lumen
Die Cast Aluminium

3000K





gemini beams

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragm's can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. Now also available in white.



Matt Black

5104003012


White


5104003032

Dark Grey

5104005118


CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium


3000K



CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium


4000K





gemini beams

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diafragma's can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. New in the range is the matt black rounded version.




Matt Black

5104006012

CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium



3000K





gemini xf



wall

New member of the GEMINI family is the GEMINI XF, this extra Flat downlight version is very convenient for single or multiple installation. A powerful, white LED light of 800 lumens is emitted by this compact and flat wall light. Available in 3 different versions.





Dark Grey **5104001118** Matt Black **5104002012** S/S **5104004001**


CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 9.5W
750 Lumen
Stainless Steel





gemini xf

bollard

The bollard GEMINI XF is perfect to install along you garden paths as there is no sky pollution thanks to the one direction powerful light beam. XF stands for "EXTRA FLAT"





Dark Grey

7104001118


Matt Black

7104002012

CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium





gemini

wall

A small square version is new in our offer. Inside this mini cube a strong LED light engine (850 lumen) radiates a perfectly symmetrical up & down beam.



Dark Grey

5189114118


Matt Black

5189125012

CLASS I
IP54
LED 9W
850 Lumen
Die Cast Aluminium




4000K



CLASS I
IP54
LED 9W
850 Lumen
Die Cast Aluminium



3000K






gemini

wall

Minimalistic design but great light output. This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Next to the actual finishes: dark grey, white and stainless steel, we introduce now a brand new version in an imitation wood look.




Wood Look
Dark Grey
White
S/S


5189135118
5189102118
5189102032
5189103118

5189113118

CLASS I
IP54
LED 10.5W
700 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 10.5W
700 Lumen
Die Cast Aluminium






► "Also available in **LUTEC connect** version" see page 43



gemini

wall

The medium version is very convenient for an installation on larger external wall or entrances. Thanks to the light output of 1230 lumen the light beam will cover the full surface in two directions. Available in warm white (3000K) and in daylight (4000K) execution.




Matt Black

Dark Grey

5189101118



CLASS I
IP54
LED 21W
1230 Lumen
Die Cast Aluminium



518912012

518912118

CLASS I
IP54
LED 21W
1230 Lumen
Die Cast Aluminium






gemini

wall

The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions.




Dark Grey

5189104118

CLASS I
IP54
LED 46W
3300 Lumen
Die Cast Aluminium



4000K





suitable for smartbulb



bonn

wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.



Dark Grey


6330401118

S/S

6330402001

CLASS I
IP54
E27 Max.60W
Die Cast Aluminium

CLASS II
IP44
E27 Max.40W
Stainless Steel





Fancy

wall


FANCY stainless steel exterior wall lamp gives your wall a stylish and powerful look. The integrated LED module distributes the light up and down for a stunning effect on the entire wall. Resistant to all weather conditions thanks to the high quality materials. Horizontal & vertical mounting possible.




S/S

5102501001

CLASS I
IP54
LED 12.5W
550 Lumen
Stainless Steel


3000K





maya

wall



This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.



S/S




5198302001

CLASS I
IP44
LED 14.5W
1000 Lumen
Stainless Steel



5198401001

CLASS I
IP44
LED 18.5W
1200 Lumen
Stainless Steel





ran

wall


RAN is an Extreme Climate Proof wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit 2xGU10 solution, bulbs are not included. Retrofit 2xGU10 solution, bulbs are not included.




Galvanised

5011701461

CLASS II
IP54
GU10 Max.2*35W
Metal



suitable for smartbulb






vidar

wall


VIDAR is an Extreme Climate Proof square wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit E27 solution, bulb is not included.



Galvanised

5011602461

CLASS II
IP54
E27 Max.40W
Metal



suitable for smartbulb





leo

wall


Magical wall light. The shiny silver coating makes it look like an invisible piece of lighting. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.



Chrome

5192701118

CLASS I
IP54
LED 14.5W
750 Lumen
Die Cast Aluminium
Chrome coating




Matt Black

5192701330

Dark Grey


5192701335

CLASS I
IP54
LED 14.5W
750 Lumen
Die Cast Aluminium



5192702335

CLASS I
IP54
LED 14.5W
750 Lumen
Die Cast Aluminium





suitable for smartbulb



brund

wall

BRUND is a modern Up & Down wall light. The double asymmetric conic form stands for a tasteful addition to your garden or home. It comes with a double GU10 fitting, bulbs are not included.



Matt Black

5206701012

CLASS I
IP44
GU10 Max.2*15W
Die Cast Aluminium






suitable for smartbulb



Dark Grey

5107101118

CLASS I
IP54
GU10 Max.2*25W
Die Cast Aluminium



ridge

wall

The RIDGE is a dark grey wall lamp with Up & Down light made of aluminum. The lamp is finished with opal diffusers which give a nice spread of light. The modern design is a tasteful addition to your garden or home. This lamp has two GU10 fittings.



Focus

wall


Round shapes in premium stainless steel showing a soft & shiny appearance. The correct position of the GU10 bulb will guarantee the perfect light pattern for this wall washer.



S/S

5604021001

CLASS I
IP44
GU10 Max.2*35W
Stainless Steel



suitable for smartbulb





suitable for smartbulb



Focus

wall

Heavy duty die-cast aluminum versions available in anthracite color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.




Silver Grey

5604011112

Dark Grey


5604011118

CLASS I
IP44
GU10 Max.2*35W
Die Cast Aluminium



5604101118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium





Focus

wall

FOCUS, Up & Down wall light, comes now in a Dusk to Dawn execution. The D2D sensor is perfectly integrated in the evergreen and original LUTEC design.



Matt Black 5604023012

Silver Grey 5604023112


Dark Grey 5604023118

CLASS I
IP44
GU10 Max.2*35W
Die Cast Aluminium

**Integrated
Dusk to Dawn
Sensor**



suitable for smartbulb





suitable for smartbulb



Focus

wall


Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for retrofit LED bulbs.



Dark Grey


6304201118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium



7204803118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium





Focus

wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.




Dark Grey

5605013118

CLASS I
IP44
LED 8.3W
500 Lumen
Die Cast Aluminium



4000K





bullo

wall

LED Outdoor aluminium wall & ceiling light, in a modern interpretation of the classic bullseye design. Radiates a homogenous and strong warm white light. Available in dark grey and rust brown colour.





Dark Grey

6383001118

Bronze

6383001445

CLASS I
IP54
LED 14.5W
1100 Lumen
Die Cast Aluminium





rola

wall & ceiling

The round ROLA outdoor wall lamp in dark grey and mat black colour with integrated LED and warm white light has a decorative frame in aluminum. An elegant wall & ceiling decoration that illuminates your outdoor spaces.





Matt Black

6382201012

Dark Grey

6382201118

CLASS I
IP54
LED 13W
800 Lumen
Die Cast Aluminium





ublo

wall & ceiling

Compact & elegant fixture producing a perfect uniform and homogenous warm white LED light without any shadow. Easy access to the connection part by removing click-on front plate.




Silver Grey

6348102112

CLASS I
IP54
LED 8W
420 Lumen
Die Cast Aluminium



3000K




6348101112

CLASS I
IP54
LED 16W
950 Lumen
Die Cast Aluminium



3000K





titan

wall & ceiling

Medium sized wall & ceiling light with a decorative aluminium cover creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 60W. Easy installation with a standard loop in loop out wiring option.




suitable for smartbulb



Dark Grey

6336201118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminium





sweep

wall & ceiling



The SWEEP LED outdoor ceiling light with its powerful LEDs provides absolutely reliable, energy-efficient and glare-free lighting for outdoor applications. With its modern and simple design, it hardly stands out, but provides safe lighting in the evening and at night. Armed with an integrated manual switch to select the desired colour temperature. Warm White or Cool White.




Dark Grey

6303401118

CLASS I
IP54
LED 23,5W
1600 Lumen
Die Cast Aluminium



 3000K/4000K





suitable for smartbulb



seine

wall & ceiling


Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for different kind of retrofit bulbs offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.



Dark Grey

6338201118

CLASS I
IP54
E27 2*20W CFL
Die Cast Aluminium





helena

wall

Small orientation wall light with opal diffuser is very convenient for a built-on installation. Thickness of the luminaire is only 31mm. No more hassle to make a hole in your garden wall. Available in 2 different combinations: matt black /3000K and dark grey/4000K.



Matt Black


6402105012

Dark Grey

6402101118


CLASS I
IP54
LED 4.5W
200 Lumen
Die Cast Aluminium

3000K



CLASS I
IP54
LED 4.5W
200 Lumen
Die Cast Aluminium

4000K





helena

wall & ceiling



The outdoor Helena LED wall and ceiling light sits in a large and elegant die cast aluminum frame. This extra slim design will illuminate your outdoor space and give a strong & homogeneous light output. Can be combined with HELENA rectangular & square wall lights.



Dark Grey

5102101118

CLASS I
IP54
LED 21.5W
1500 Lumen
Die Cast Aluminium





helena

wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.



Matt Black

5191605012

Dark Grey

5191601118

5191602118

CLASS I
IP54
LED 11W
450 Lumen
Die Cast Aluminium
3000K



CLASS I
IP54
LED 11W
450 Lumen
Die Cast Aluminium
4000K



CLASS I
IP54
LED 11W
450 Lumen
Die Cast Aluminium
4000K





mains


These dark grey outdoor power supply sockets in die cast aluminium are very easy to install and provide your entire garden with energy, so you can enjoy your outdoor space. Comes with side earth or pin earth version. Total power supply up to 3500W. Small bollard with one socket with side earth



Matt Black

9702201012

CLASS I
IP54
16A - Max. 3500W
Die Cast Aluminium




9702202012

CLASS I
IP54
16A - Max. 3500W
Die Cast Aluminium



9702203012

CLASS I
IP54
16A - Max. 3500W
Die Cast Aluminium





there's a
new tradition

tradition

wall



NEW

SHIVA

5206501012 / P193



NEW

ZAGO

5294502012 / P195



FIA

5290903012 / P197



NEW

WEST

5207901012 / P199



NEW

PINE

5296602012 / P201



FLAIR

5288801012 / P203



FLAIR

5288802012 / P203



FLAIR

5288803012 / P205



FLAIR

5288804012 / P205



NEW

FLAIR

5288814012 / P205



KELSEY

5273701012 / P209



KELSEY

5273702012 / P209



KELSEY

5273601012 / P209



KELSEY

5273603012 / P209



CATE

5264201213 / P215



UNITE

5260201012 / P217



UNITE

5260101012 / P217



UNITE

5260103012 / P217

bollard



NEW

FIA

7290901012 / P197



NEW

PINE

5296601012 / P201



KELSEY

7273602012 / P211



KELSEY

7273604012 / P211



FLAIR

7288801012 / P207



KELSEY

7273601012 / P213



KELSEY

7273605012 / P213



CATE

7264210213 / P215



NEW

FIA

7290903012 / P197



NEW

PINE

7196603012 / P201



KELSEY

7273606012 / P213



CATE

7264230213 / P215

portable



FLAIR

6588801012 / P207

pendant



NEW

KELSEY

6273601012 / P211



shiva

wall

Elegant, stylish and yet contemporary. SHIVA is a wall light for outdoor spaces. Its rustic form with reference to the classical lantern goes hand in hand with a modern finish and a characteristic artisanal touch. Clear transparent glass.




9705518000
spare glass

Matt Black

5206501012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

suitable for smartbulb





zago

wall

Inspired by the old-fashioned carriage lamp model, this ZAGO outdoor lamp will create a warm and atmospheric atmosphere in your garden. Thanks to the black coating of the frame, it can handle any weather. Clear transparent glass.




9705516000
9705517000
spare glass

Matt Black

5294502012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

suitable for smartbulb





suitable for smartbulb



Fia

wall & bollard

This classic lamp with a rustic shape and clear glass gives a refined touch to your outdoor spaces. Ideal in combination with newest "filament" retrofit E27 LED bulbs. The new small bollard and big 3-light lantern post makes the FIA family complete.




9705514000

spare glass

Matt Black

5290903012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7290901012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7290903012

CLASS I
IP44
3*E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



west

wall

WEST is a wall down lantern, perfectly matching with your front door or garden shed. Elegant combination of the matt black open frame and the clear cylindric glass. You can apply the newest E27 filament LED bulbs, now available in all forms & shades. (bulb not included)




 9788802000
spare glass

Matt Black

5207901012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



pine

wall & bollard

The stylish outdoor light PINE, combines a rustic touch with contemporary shapes. This family for outdoor is pure elegance thanks to a mix of high-end aluminium with sleek lines and the shapes of the clear glass that protects the light bulb. This medium size lantern sits perfectly at your front door, alongside your terrace or can accentuate a façade.



Matt Black

5296602012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7196601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7196603012

CLASS I
IP44
3*E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



Flair

wall

The FLAIR lantern family in cottage style gives you the possibility to create a diverse lighting design in your garden & around your house in the same style. In combination with LED filament retrofit bulbs you will create a perfect cosy & safe atmosphere.




9788801000
spare glass

Matt Black


5288801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



5288802012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



Flair

small wall & double wall

These two wall lanterns will create extra possibilities to work out the desired luminares design around your home and beside your entry doors. Comes also with E27 fitting suitable for the newest filament LED bulbs.




9788801000
square glass



Wood Look
Matt Black

5288814012
5288803012


CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



9788802000
square glass

5288804012

CLASS I
IP44
2*E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



Flair

portable & bollard

The portable version, with an 1.5 meter outdoor wire and plug, will create a cosy atmosphere on your garden tables & terraces. The bollard makes the FLAIR family complete. Also these two executions are suitable for E27 filament LED retrofit bulbs.




9788801000
spare glass

Matt Black


6588801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7288801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



kelsey

wall

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest "filament" retrofit LED bulbs with your KELSEY wall lights, you will create a charming atmosphere on your outside walls. Available with 2 different types of glass, water glass and clear glass diffuser.




9705501000
9705502000
9705506000
9705508000
spare glass

9705503000
9705508000
spare glass

Matt Black
Water Glass
Matt Black
Clear Glass


5273701012
5273702012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



5273601012
5273603012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



kelsey

bollard & Pendant

KELSEY pedestal and the new introduced pendant can be applied to complete your light plans and create a charming and warm atmosphere on your terrace or patio.



9705503000
9705508000
spare glass

Matt Black
Water Glass
Matt Black
Clear Glass

7273602012

7273604012


CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



9705508000
spare glass

6273601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



kelsey

bollard

While using the newest "filament" retrofit LED bulbs with your KELSEY bollards, you will create a charming atmosphere along your garden paths. Available with 2 different types of glass, water glass and clear glass diffuser.



9705503000
9705508000
spare glass

Matt Black
Water Glass
Matt Black
Clear Glass

7273601012

7273605012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



9705508000
spare glass

7273606012

CLASS I
IP44
3*E27 Max.40W
Die Cast Aluminium





cate

wall & bollard

This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bubs.

suitable for smartbulb




9705505000
spare glass

Matt Black


5264201213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium




7264210213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium



7264230213

CLASS I
IP44
3*E27 Max.60W
Die Cast Aluminium





unite

wall

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect.



Matt Black

5260101012

CLASS I
IP44
LED 8.6W
330 Lumen
Die Cast Aluminium



3000K




5260103012

CLASS I
IP44
LED 8.6W
330 Lumen
Die Cast Aluminium



3000K




5260201012

CLASS I
IP44
LED 8.6W
330 Lumen
Die Cast Aluminium



3000K



A close-up photograph of a solar panel. The panel has a dark, textured surface with fine, parallel lines. On the right side, there is a row of circular LED lights that are illuminated, casting a bright glow. The text "solar?! yes, please!" is overlaid on the left side of the panel.

solar?!
yes, please!

solar

smart solar



NEW

TUDA
6935501330 / P227



NEW

TUDA
6935502330 / P229



NEW

FRAN
6941502330 / P233



NEW

FADI
6939501330 / P235



NEW

GINBO
6938405330 / P231



NEW

KARLO
6935802012 / P237



portable



POPPY
6910802335 / P241



TABLE CUBE
6908001337 / P243



TABLE CUBE
6908001331 / P243



TABLE CUBE
6908002337 / P245



PADLIGHT
6907701331 / P247



DRAGONFLY
6904101337 / P249



DRAGONFLY
6904101331 / P249

wall integrated panel



MINI LEDSPOT
6914401000 / P251



NEW

MOZE
6943101012 / P253



TRY
6939101330 / P255



ARROW
6910601335 / P257



BRICK
6908501308 / P259



BREAD
6901501000 / P261



BUBBLE
6908701001 / P263



TWILL
6908901335 / P265



DISO
6906702335 / P267



DOBLO
6940101125 / P269



NEW

DOBLO
6943701125 / P271



NEW

DOBLO
6943801125 / P273



NEW

FLAIR
6988804012 / P275



CURTIS
6934601118 / P277



GHOST SOLAR
6901401337 / P281



ZETA
6901101000 / P283



POLE
9700308112 / P285



TILLY
6901201000 / P287

bollard integrated panel



DISO
6906703335 / P267



SOLSTEL
6907903001 / P279



LONDON
6951301189 / P289

flood independent panel



SUNSHINE
6925701345 / P291



SUNSHINE
6925604345 / P291



SUNSHINE
6925601345 / P293



SUNSHINE
6901601000 / P295

LUTEC SOLAR



Finally solar lighting becoming smart!

solar



connected

- ✓ Energy Saving
- ✓ Easy installation
no wires needed
- ✓ Higher lumen output
- ✓ Long life solar battery

- ✓ Easy to install,
connect and control
- ✓ Fast & Stable bluetooth
connection
- ✓ Lights are connected to each
other via Bluetooth Mesh
- ✓ Range up to 50m
- ✓ Adjustable light settings
- ✓ Control by smart phone
or motion sensor



Control and adjust your SOLAR lights

Switch your lights on or off,
dim your lights, change the
temperature or the color
according to your mood.




High tech Low energy

Easy to control solar lights
for better efficiency
and comfort.




Create Groups For more convenience

Control all your lights at once!
Easy and fast set up, you can
add or delete any light from
the group.



Manage the battery life


Check the battery level at any
time. At low battery levels,
switch easily from ON to PIR
or OFF mode.



Control and adjust your SOLAR lights

With the LUTEC connect App you can switch your lights On/Off, dim or change the color temperature easily.


The led color feature available in either the bollard or spike, allows you to create your own personalised garden atmosphere, designing your outdoor space in style with colors or dedicated scenes.




Create Groups For more convenience

From first detection at your driveway or path create a group which allows all lights to illuminate

Create a group with the Solar connect light through the App.
Thanks to Bluetooth MESH the lights can be easily linked and work simultaneously.



High tech Low energy




Within the application you can select OFF-AUTO-ON mode. Selecting AUTO mode activates the movement sensor, which enables the light to come on only when someone is passing and increases battery life from a single charge.

From the sensor menu you can :



- Activate the detection from near to the sensor to further away
- Set Twilight mode from dusk to dawn
- Choose light reaction time from 10 seconds to 3 minutes
- Constant light : Additional option to set your light output at 20% and also duration after detection from 2 to 8 hours.

Manage the battery life



This feature enables you to quickly check the battery level.

You can decide to increase or decrease the brightness or switch to AUTO mode or even Off, allowing full user control.



Visit our dedicated website which supports and inspires our consumers with their experience

www.lutec-connect.world

Powered by
tuvo
Intelligence Inside

Download on the
App Store

GET IT ON
Google Play





tuda

integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with one or three adjustable heads.



2W
monocrystalline




Matt Black

6935501330

CLASS III
IP44
LED 8.5W
2*2200mAh 3.7V Li-ion battery
1000 Lumen
Synthetics

Battery
Item nr:9759804000





* **Dimming*** 

Adjustable whites

2700 K  6500 K

* **Instant full light**

* Dimmable via the app and voice control



tuda

integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with one or three adjustable heads.



2W
monocrystalline





Matt Black

6935502330

CLASS III
IP44
LED 13W
2*2200mAh 3.7V Li-ion battery
1500 Lumen
Synthetics

Battery
Item nr:9759804000





※ Instant full light
* Dimmable via the app, remote control or voice control

ginbo

wall & spike


The GINBO Solar lamp is good for the environment. This lamp works on solar energy! In addition, it has a modern look and fit every garden or balcony. Furthermore, it also gives exactly the light you want. Thanks to the free app you can adjust color and intensity and even save scenes. From the comfort of your own home!



Matt Black **6938405330**

CLASS III
IP44
LED 7W
2200mAh 3.7V Li-ion battery
500 Lumen
Synthetics

Battery
Item nr:9759804000





* **Dimming*** 

Adjustable whites

2700 K  6500 K

* **Instant full light**

* Dimmable via the app and voice control



Fran

integrated panel


FRAN is a cordless, solar wall light in a modern and minimalist design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation with no cables needed. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app.




Matt Black

6941502330

CLASS III
IP44
LED 9.7W
2200mAh 3.7V Li-ion battery
800 Lumen
Synthetics

 **Battery**
Item nr:9759804000





Fadi

integrated panel

Solar connected wall light FADI has a sleek and modern look. The wall lamp has a convenient sensor which will automatically turn on when it gets dark. Can be used as fence lighting or facade lighting. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app. During the day the lamp will charge itself by means of the solar panel, so that in the evening and at night you can enjoy the cozy warm white light in your garden.





1.5W
monocrystalline

Matt Black

6939501330


CLASS III
IP54
LED 5W
2200mAh 3.7V Li-ion battery
800 Lumen
Synthetics


Battery
Item nr:9759804000




✱ **Instant full light**
* Dimmable via the app and voice control






* **Dimming*** 

Tunable whites

2700 K  6500 K

RGB 

* **Instant full light**


* Dimmable via the app, remote control or voice control



karlo

bollard & spike

The modern garden pathway light KARLO is a beautiful solar lamp that can be used wirelessly anywhere outdoors. The garden path light gets its energy from the solar panel at the head of the fixture. The integrated LEDs shines and reliably illuminate the path. Thanks to the integrated motion detector, light is always available when a person approaches the luminaire. In this way, dark paths from the garage to the house can be illuminated effectively and safely.





1W
monocrystalline




Matt Black

6935802012

CLASS III
 IP44
 LED 6.8W
 2200mAh 3.7V Li-ion battery
 500 Lumen
 Synthetics

 **Battery**
 Item nr:9759804000



complete lighting solution: green & convenient


Solar Energy,
no electricity consumption


No electrical wiring,
no connection to the mains


Powerful LED Light


Full comfort
Autonomy all night long


Clever & multiple
control options


Easy and fast installation



Portable


Integrated solar panel


Separate Solar panel




nice to know



DAY
Solar Energy Battery Energy



NIGHT
Battery Energy Light Output


Longer light or more powerful light




 High efficiency monocrystalline or polycrystalline solarpanel

 LED module with strong light output: 100 lumen up to 500 lumen


 Li-ion rechargeable battery included


 Integrated dusk to dawn sensor, automatic switch to light-on during night


 Weatherproof materials and finishing

how to choose


 **solar panel**
Integrated
Compact, no extra wiring


 **Separate**
Higher solar energy capacity


 **orientation of solar panel**
Fixed
The luminaire should be placed in the most optimal position; south orientation


 **Adjustable**
The panel can be oriented in the most efficient position; south orientation (tilt angle 35° in summer - 65° in winter)


 **orientation of LED light**
Fixed
Diffuse light - Up & down light

 **Adjustable**
Directional spotlight

 **clever control**
PIR motion sensor
Smart use of the available solar energy
Always light when somebody is passing

 **High-Medium-Low switch**
Personalized choice to come to ideal combination of light output and autonomy


 **DIM**
The Light stays in low brightness all night and turns to high brightness when it detects motion.



poppy

portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.



1	max 500lm	12h
2	200lm	16h
3	50lm	24h
4		oPP



6W
monocrystalline

Dark Grey

6910802335

CLASS III
IP54
LED 8W
1*4400mAh 3.7V
Li-ion battery
500 Lumen
Synthetics

3000K

Battery
Item nr:9759805000
Ø380






table cube

portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a sufficient autonomy. With the touch dimmer you can dim the white light.



1	100lm	4h
2	40lm	10h
3	10lm	40h
4		oFF

1W
polycrystalline

Silver

6908001337


White

6908001331

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

3000K

Battery
Item nr:9759806000



IP44 Water Resistant

Touch Dimmer






table cube

portable

Bring Solar light in every corner of your garden.
Bollard easily adjustable to full & medium height.
Ground spike included. Comes with a 3 step dimmer.



1	100lm	4h
2	40lm	10h
3	10lm	40h
4		oFF

1W
polycrystalline


Silver

6908002337

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

3000K

Battery
Item nr:9759806000





padlight

portable

Compact portable solar light. The ideal companion for your outdoor journeys. Versatile with multiple positions.

Can be placed on a surface, hooked or suspended.

The light panel radiates a very uniform light without any shadow. A 3-step dimmer with the possibility to optimise the light output & autonomy according to your needs. The USB cable (excluded) allows also to charge via an electrical network. Recharge your mobile phone.



1	200lm	3h
2	80lm	9h
3	20lm	36h
4		oFF

1.4W
monocrystalline




White

6907701331

CLASS III
IP44
LED 2.4W
1*2500mAh 3.7V Li-ion battery
200 Lumen
Synthetics

4000K





dragonfly

portable

In the "open" position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in white and silver colours.



1	120lm	4h
2	50lm	10h
3	10lm	40h
4		off

2*0.8W
polycrystalline



Silver

6904101337


White

6904101331

CLASS III
IP54
LED 1.2W
1*2200mAh 3.7V Li-ion battery
120 Lumen
Synthetics

4000K

Battery
Item nr:9759804000





mini ledspot

integrated panel

Wall light with integrated solar panel, single head spot light version. This will assure you an optimal solar efficiency. The bright LED spotlight can be orientated in all directions. The three step dimmer offers you the choice between bright and long-lasting light.



1	100lm	6h
2	50lm	10h
3	30lm	21h
4		off

1.4W
monocrystalline


Silver

6914401000

CLASS III
IP44
LED 1W
1*2200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

4000K

Battery
Item nr: 9759804000





moze

integrated panel

A sleek design, the MOZE outdoor solar wall lighting is not only functional, but also a treat for the eye - during the day and in the evening. The built-in motion sensor assures you a welcoming light. The integrated LED makes it ideal for illuminating a path, but also to create the right mood on your terrace.



1	75times	AUTO	1.5W
2	75times	DIM	polycrystalline
3	10H	on	
4		oPP	


Matt Black


6943101012

CLASS III
IP44
LED 8W
1*1500mAh 3.7V Li-ion battery
1000 Lumen
Synthetics

4000K

Battery
Item nr:9759808000





try

integrated panel

This outdoor SOLAR with integrated solar panels combines a simple functional design with a high user-friendliness. This Try wall light works without a power connection: you can easily install it in your garden or as mood lighting next to your front door. Thanks to the built-in motion sensor, it lights up automatically. An extra feature of this new design is the dim switch.



1	100times	AUTO
2	100times	DIM
3	10H	on
4		off

0.8W
monocrystalline


Matt Black

6939101330

CLASS III
IP54
LED 8W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Synthetics

5000K

Battery
Item nr:9759808000





arrow

integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.



1W
polycrystalline

1	160times	on
2		oFF


Dark Grey

6910601335

CLASS III
IP44
LED 2.3W
1*1200mAh 3.7V Li-ion battery
180 Lumen
Synthetics

5000K

Battery
Item nr:9759806000





brick

integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.



1	120times	AUTO
2	2h	on
3		oFF

1.5W
polycrystalline


S/S

6908501308

CLASS III
IP44
LED 2W
1*2200mAh 3.7V Li-ion battery
150 Lumen
Synthetics

4000K

Battery
Item nr:9759804000





bread

integrated panel

Compact and easy to install solar wall light.
Fits perfectly to many different outdoor styles.
The built-in motion sensor assures you a welcoming
light throughout the night.



1	160times	AUTO
2	4h	on
3		oFF

1W
polycrystalline


Silver

6901501000

CLASS III
IP44
LED 1.2W
1*2200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

4000K

Battery
Item nr:9759804000





bubble

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.



1	190times	AUTO
2	3h	on
3		oFF

1.5W
polycrystalline


S/S

6908701001

CLASS III
IP44
LED 2.3W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics



Battery
Item nr:9759804000





twill

integrated panel

Up & Down light feature, now also available in Solar version. Nice two direction & wide light beam on your wall. The integrated Solar panel is fully part of the design and completely out of view. Featuring a wide angle motion sensor.



1	120times	AUTO
2	27h	on
3		oPP

1.5W
polycrystalline


Dark Grey

6908901335

CLASS III
IP54
LED 2.2W
1*1200mAh 3.7V Li-ion battery
200 Lumen
Synthetics



Battery
Item nr:9759806000





diso

integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a power full light any time someone is passing. Bollard version mountable with screws or with included ground spike.



1.5W
polycrystalline



1	130times	AUTO
2	2h	on
3		oPF

1	200lm	2h
2	100lm	5h
3		oPF

Dark Grey

6906702335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics



Battery
Item nr:9759804000




6906703335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics



Battery
Item nr:9759804000





doblo

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.



1	100times	AUTO
2	100times	DIM
3	10H	on
4		oFF

1W
monocrystalline


Dark Grey

6940101125

CLASS III
IP54
LED 7.5W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Synthetics

4000K

Battery
Item nr:9759808000





doblo

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The modern design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch. Available in two different sizes.



1	100times	AUTO	1.5W
2	100times	DIM	monocrystalline
3	10H	on	
4		oPF	


Dark Grey

6943701125

CLASS III
IP44
LED 12W
1*1500mAh 3.7V Li-ion battery
1000 Lumen
Synthetics



Battery
Item nr:9759808000





doblo

integrated panel

Despite its modest shape, the LED outdoor wall light DOBLO appears to be extremely practical. A solar panel on the luminaire generates electricity from sunlight, which is stored in a rechargeable battery. You can choose between four settings. The LEDs are installed behind the rectangular diffuser and emit universal white light in all directions.



1	60times	AUTO	3W
2	60times	DIM	monocrystalline
3	10H	on	
4		oFF	


Dark Grey

6943801125

CLASS III
IP54
LED 16.5W
2*1500mAh 3.7V Li-ion battery
1800 Lumen
Synthetics



Battery
Item nr:9759808000





Flair

integrated panel

This FLAIR is a solar wall lamp in a classic design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation, no cables needed.



1	100times	AUTO
2	100times	DIM
3	15H	on
4		off

1W
monocrystalline


Matt Black

6988804012

CLASS III
IP44
E27 LED 2W
1*1500mAh 3.7V Li-ion battery
200 Lumen
Synthetics

2700K

Battery
Item nr:9759808000





Dark Grey

curtis

integrated panel

LED Solar wall light, with an opal diffuser and square aluminium frame.

The integrated PIR motion sensor will capture all movement and assures a powerfull warm white light when somebody is passing throughout the night.



1	140times	AUTO
2	5.5h	on
3		oFF




1W
polycrystalline

6934601118

CLASS III
IP54
LED 3W
1*1200mAh 3.7V Li-ion battery
300 Lumen
Synthetics

3000K

Battery
Item nr:9759806000





solstel

integrated panel

Solar bollard with an opal diffuser, gives a powerful and diffused light throughout the night thanks to the motion sensor option. Easy to mount with screws or with a ground spike (included)



1W
monocrystalline


S/S

6907903001

CLASS III
IP44
LED 2.3W
1*1200mAh 3.7V
Li-ion battery
150 Lumen
Stainless steel

4000K

Battery
Item nr:9759806000





ghost solar

integrated panel

Sleek and elegant design.
This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.



1	80times	AUTO
2	2h	on
3		oFF



1.5W
polycrystalline

Silver

6901401337

CLASS III
IP44
LED 2.4W
1*2200mAh 3.7V Li-ion battery
260 Lumen
Synthetics

4000K

Battery
Item nr:9759804000





zeta

integrated panel

This wall light offers you the complete freedom to orientate the solar panel and the light panel in the optimum direction. In combination with the PIR motion sensors it will give a strong light to any outdoor space.



1	120times	AUTO
2	2h	on
3		oFF




1.5W
polycrystalline

Silver

6901101000

CLASS III
IP44
LED 2.4W
3*1800mAh 1.2V Ni-MH AA battery
200 Lumen
Synthetics





pole

integrated panel

The solar wall lights BREAD & ZETA can be mounted easily and without any tools on an independent post, creating a perfect bollard solution. The post can be screwed on a solid surface or put into the ground thanks to the included spike. The post contains 3 tubes giving the option to vary the height up to 1 meter.



Silver Grey

9700308112

Color silver (si)
for
6901101000
6901301337
6901501000





tilly

integrated panel

A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams. In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.



1	120times	AUTO
2	2h	on
3		oFF

3.5W
polycrystalline


Silver

6901201000

CLASS III
IP44
LED 4W
1*2200mAh 7.4V Li-ion battery
420 Lumen
Die Cast Aluminium

4000K

Battery
Item nr:9759802000





london

integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity, with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



 6W Monocrystalline 	Estimated Light Run Time for Different Seasons		
	Winter	Spring	Summer
 300 lumen	(161W/m²) 03h40	(332W/m²) 08h00	(603W/m²) 10h00
Actual run time may vary depending on your specific location			

Matt Black

6951301189

CLASS III
IP44
LED 6W E12/incl.
1*2200mAh 7.4V
Li-ion battery
300 Lumen
Die Cast Aluminium
3000K




Battery
Item nr: 9759801000



9700359330

Synthetics



9700357000

LED 2W
250 Lumen





Wiring system




Dark Grey

6925701345

CLASS III
IP54
LED 7W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Synthetics

Battery
Item nr: 9759808000

5000K




6925604345

CLASS III
IP54
LED 11W
1*1500mAh 3.7V Li-ion battery
800 Lumen
Synthetics

Battery
Item nr: 9759808000

5000K



sunshine

independent panel

This SUNSHINE wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an PIR motion sensor. The movable spot head gives a very powerful lightbeam.



1 max 100times AUTO
2 10h on
3 oFF



2 W
Polycrystalline
(5 meter cable)



1 max 75times AUTO
2 10h on
3 oFF



Dark Grey

6925601345



CLASS III
IP44
LED 7.5W
1*2200mAh 3.7V
Li-ion battery
500 Lumen
Synthetics

Battery
Item nr:9759804000

1 240times 30S

1.4W monocrystalline

Wiring system



sunshine



independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.





Wiring system



sunshine

independent panel

This wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an adjustable (time & distance) PIR motion sensor. The movable spot head will give more than 350 lumen.




6901601000

Silver

CLASS III
IP44
LED 3.2W
1*2200mAh 3.7V
Li-ion battery
360 Lumen
Synthetics

4000K

Battery
Item nr:9759803000



1	120times	on
2		off




1.5W polycrystalline
(5 meter cable)

A close-up, high-angle shot of a security camera lens. The lens is circular and set into a grey, textured plastic housing. The lens itself is dark and reflective, showing some light flares. The background is a blurred grey surface, suggesting the camera is mounted on a wall or door. The lighting is soft, coming from the top left, creating a slight shadow on the left side of the lens housing.

**security for
your comFort**

security

connected camera



wall



flood



sensor





LUTEC

SECURITY

always connected with your home

As market initiator LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

This new range has been developed based on learnings and consumer insights and by applying the gains and innovations of the fast evolving connected camera technology.

This has resulted in a versatile range of decorative and functional camera light fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.

LUTEC SECURITY



LUTEC outdoor camera light everything is under control

light camera
audio detection

+


connected

- ✓ Powered for lighting
- ✓ High definition camera
- ✓ Adjustable motion Sensor
- ✓ See, talk and dialogue

- ✓ Easy to install, connect and control
- ✓ Create groups with other lights
- ✓ Voice control ready
- ✓ Recieve notifications



Recieve an alert when someone approaches your home




Get live notifications via your smartphone when someone approaches your door

Keep an eye on your house anytime, anywhere



Enable you to take a picture or record a video from wherever you are.




Listen and talk live with your visitors



Talk with your delivery person, you will never miss your expected parcel

Thanks to Bluetooth MESH

- Quick and easy to find the device and start the configuration process immediately
- Actively send feedback of a problem during the network configuration
- Create groups with your camera light and trigger other LUTEC connect lights on



Thanks to WiFi



Be notified and exchange with people away from home.


Keep in touch with home, images are accessible 24 hours a day from your smartphone, including

Voice control ready
Works with LUTEC access box sold separately.



Powered For lighting

- Switch your lights on or off
- Dim your lights
- Change the color temperature



Camera high definition

- High-definition video recording at night
- H265-video file size is halved
- Video playback and transmission speed are doubled
- Alert sensitivity: High, Medium, Low




Adjustable motion Sensor

- Detection reach from near to far distance
- Twilight settings from dark to dusk
- Light time reaction from 10 seconds till 3 minutes
- Constant light: Set your light output at 20% during all night




Secure storage

- SD card Already installed in the product
- Ready to use
- Storage capacity 16 GB



See, talk and dialogue

Listen and speak to visitors from wherever you are.
Trigger the siren straight from your app when there is an intruder.
Start continuous recording to get view of the whole event




LUTEC
connect



Visit our dedicated website
which supports and inspires
our consumers
with their experience



www.lutec-connect.world



Flair

wall

Member of the FLAIR traditional lantern series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Suitable for LED filament bulbs, not included.





Matt Black

5288811012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





* Instant full light
* Dimmable via the app and voice control

cuba

wall

Extension of the design award winning CUBA series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Multiple orientation possibilities of the light-head, camera and motion sensor.





Dark Grey

5193812118

CLASS I
IP44
LED 17.3W
1000 Lumen
Die Cast Aluminium



* Instant full light

* Dimmable via the app and voice control

pollux

wall

Compact and elegant aluminium wall light. The tubular design makes a good fit at your front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.




Dark Grey

5196004118

CLASS I
IP44
LED 18.8W
1200 Lumen
Die Cast Aluminium





* **Dimming*** 



Adjustable whites

2700 K  6500 K

* **Instant full light**

* Dimmable via the app and voice control



elara

wall

Tubular stainless steel wall light with a familiar design for entry-door application. This lamp has a perfect finish and appropriate combination of the used materials. The integrated LED connected module will give you all the freedom to control your light on your smart devices. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture. Also available in dark grey.




S/S

5267106001


Dark Grey


5267106118

CLASS II
IP44
LED 17.5W
1300 Lumen
Stainless Steel



CLASS II
IP44
LED 17.5W
1300 Lumen
Die Cast Aluminium





draco

wall


Double head projector with integrated connected LED module & multiple orientation possibilities. It gives you full flexibility to cover the desired area. Comes with light, audio, video and detection all controllable in one App.




Matt Black

7622220012

CLASS I
IP44
LED 19W
1200 Lumen
Die Cast Aluminium





* **Dimming*** 



Adjustable whites

2700 K  6500 K

* **Instant full light**

* Dimmable via the app and voice control



libra

wall & ceiling



Double head projector in the LUTEC connected camera range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibilities will give you full flexibility to cover the desired area.



White

7632406053

CLASS I
IP44
LED 36W
3400 Lumen
Synthetics





security for your **comFort**

LUTEC presents the InMotion concept offering a complete range of Security Sensor Lights.


The range is featuring, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

Passive infrared (PIR) motion sensor

How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.



Comfortable detection area

The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

Your personal settings

Time setting

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.

Twilight setting

The environment brightness can be adjusted according your selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.

Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.

For your convenience

Dusk to dawn

Automatic light on switching as soon it's dark outside

Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

Test mode

You can define the perfect detection area during installation in daylight situation




How to choose?


Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.



BASED ON SENSOR DETECTION REACH



BASED ON LUMINAIRE CHARACTERISTICS






maya

wall

This compact Up & Down wall light with wide beam in aluminium with stainless steel cover has a timeless design. Discrete position of the black adjustable PIR motion sensor, makes it almost invisible.




S/S

5198401001

CLASS I
IP44
LED 18.5W
1200 Lumen
Stainless Steel

3000K





Farell

wall

Robust yet elegant stainless steel wall light, big surface diffuse warm white light radiation. Comes with performant motion sensor with a large detection reach and multiple control possibilities.



S/S

5194802001

CLASS II
IP44
LED 14.3W
850 Lumen
Stainless Steel



3000K





qubo

wall

With this wall light it is always pleasant to come home. Thanks to the performant integrated motion sensor, the visitors to your home will be detected from a distance and light will automatically switch on.



Dark Grey

5193002118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminum



3000K





leda

wall

Tubular stainless steel wall light in the InMotion range contains a horizontal and vertically adjustable motion sensor. Thanks to the integrated sensor the light will automatically illuminates as soon as you get closer.




S/S


5267103001

CLASS II
IP44
LED 15.5W
1400 Lumen
Stainless Steel



3000K





cyra

wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes with a black, almost invisible motion sensor.




Dark Grey

5198102118

CLASS I
IP54
LED 16.5W
1000 Lumen
Die Cast Aluminum



3000K





sunshine

wall



Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways. The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter. Now also available in compact version – 800 lumen.



Dark Grey


7625601345



CLASS II
IP54
LED 15.4W
1100 Lumen
Synthetics



7625701345

CLASS II
IP44
LED 12.5W
800 Lumen
Synthetics





* **Instant full light**
* Dimmable via the app and voice control



artica

wall


Modern sensor 2 heads floodlight with high-quality design, ideal for illuminating large areas around buildings thanks to its high light output. An IR sensor with 180° registration angle and a range of up to 18m are fully integrated. Pleasant and powerful light thanks to the high-quality LED panel. The integrated LED connected module will give you all the freedom to control your light on your smart devices.



White

7635605331

CLASS II
IP44
LED 14.5W
1200 Lumen
Synthetics






Quick install



White

7632201053

CLASS I
IP54
LED 13W
1200 Lumen
Synthetics



arc

wall & ceiling

Elegant double head projector with fully adjustable motion sensor. The two "wings", feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.





peri

wall & ceiling

The new version of security floodlight has a very powerful LED with a double adjustable motion sensor. Front sensor has a detection range up to 20 meters, the sensor covering the area under the floodlight detects movement close to the wall. The PERI series is easy to install and no tools are needed, comes in a single and double headed spot and is suitable for wall and ceiling mounting thanks to the rotating base.




White

7629401331

CLASS I
IP54
LED 30.9W
3200 Lumen
Aluminium+Synthetics

IP 5000K



Quick install





shrimp


wall & ceiling

Elegant yet powerful security floodlight with typical “bike lamp” design. This new upgraded versions, with and without adjustable motion sensor, feature an increased light-output up to 1700 lumen. The SHRIMP II is a double insulated, electrical appliance.





Matt Black 7622221012

CLASS I
IP54
LED 23.5W
1700 Lumen
Die Cast Aluminum




7622222012

CLASS I
IP54
LED 23.5W
1700 Lumen
Die Cast Aluminum



7622104330

CLASS II
IP54
LED 12W
1250 Lumen
Synthetics





sphere

sensor


Stand alone passive infrared motion sensor.
Compact orientable version with detection
range up to 12 meter and detection
angle of 180°.



Matt Black

9701601330

CLASS II
IP44
MAX 1100W
Synthetics





torus

sensor


Stand alone double and adjustable motion sensor. The frontal sensor has a detection range of up to 21 metres & 270°. The second sensor covering the area underneath detects any movement close to the wall.



Matt Black

9701501330

CLASS I
IP44
MAX 1000W
Synthetics





where function
meets **form**

functional

recessed
ground



BERLIN
7700511012 / P351



NEW
CYDOPS
7704216012 / P353



NEW
CYDOPS
7704223012 / P353




ARCTIC
7701301012 / P355



berlin

recessed ground

Round stainless recessed ground spots creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.




Car can drive over



7700511012

CLASS I
IP67 & IP65
GU10 35W
Stainless Steel





cydops


recessed ground

This outdoor CYDOPS spotlight is both a practical and decorative addition to your garden, driveway or patio. The lamp is made of aluminium and has an IP67 protection rating, making it suitable for outdoor use. This garden spotlight has low power consumption. Available in different versions.




7704216012

CLASS I
IP67 & IP65
LED 6.8W
580 Lumen
Stainless Steel



7704223012

CLASS I
IP67 & IP65
LED 6.8W
580 Lumen
Stainless Steel





arctic


recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 40°. Pick out ornaments, trees and bushes in your garden with a stunning light effect.



7701301012

CLASS I
IP67 & IP65
LED 13.7W
550 Lumen
Die Cast Aluminum



control
at the tip of
your fingers

accessory



LUTEC connect



REMOTE CONTROL
9702315361/ P361



ACCESS BOX
9704401361/ P362



SMART SWITCH
9706201361/ P363



DAWNY
9760002330/ P365

LUTEC solar



BATTERY PACK
9759801000/ P366



BATTERY PACK
9759803000/ P366



BATTERY PACK
9759804000/ P366



BATTERY PACK
9759802000/ P367



BATTERY PACK
9759805000/ P367



BATTERY PACK
9759806000/ P367



BATTERY PACK
9759808000/ P367



Point & Play in the room Infra Red individual control

ON/OFF
adjustable White
Dimming
Colors
Scenes

Night Light
Work light
Party
Fire
Forest
Ocean
Romantic




Control every light Inside or outside the house Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).

I/O push button switches on-off all the lights of the same group.



remote

accessories

A 2-in-1 remote control that allows you to switch the power off from the top half by pointing to change the intensity of the light, the color changing temperature, and access the colors or even multiple varied scenes. From its lower part, you can turn a group of lamps on or off from anywhere in the house.




smart lighting technology



9702315361

● WHITE

Infra Red individual control
Plastic




expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system.

Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home.


The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Hey Google,
turn on the light!



Alexa, change
the light in blue!



Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.

access box

accessories

Small in size, it can be easily installed. Even if this accessory is not essential for the proper functioning of the complete system, it is however necessary to access certain functionalities such as voice control but also the programming of one or more lamps over time or according to a particular condition such as the weather.




smart lighting technology



9704401361

● WHITE

gateway
Plastic



Long press for
10s to reset

Click to
turn the light
on/off

Double click to
switch mode

Rotate to
change
the brightness

Press and rotate
to change the
color temperature

Function Buttons A/B/C



1. Long press to add the device to the group
2. Short press to activate and control group devices
3. Double click to delete the device after restarted

smart switch

accessories

Very ingenious, this accessory can be easily attached thanks to its 3M self-adhesive system. No need to connect to the electrical network, it allows you to switch on and off with a single click or to vary the intensity and temperature of the lamps in a room or in a zone defined in the application. 3 zones are possible A, B, C allowing a wide coverage, for example the lamps of the room where the switch is installed, the exterior lighting or a complete zone such as a ground or a complete floor.




smart lighting technology





9706201361

● WHITE

Smart switch
Plastic





Easy & fast pairing with LUTEC
connect app



Install the LUTEC access box,
essential to make this motion
sensor linkable to any other LUTEC
connect light.



Adjust in the LUTEC
connect app,
Time, Twilight and Distance
settings



Create a group and combine
your **LUTEC connect** luminaires
with DAWNY.

dawny

accessories

Automatically control your outdoor
lights with DAWNY outdoor & indoor
motion sensor. Place the wireless, battery -
powered detector anywhere and trigger your
lights at any movement .
Versatile mounting options: Ceiling, Wall and
Corner.




smart lighting technology





9760002330

○ **BLACK**

CLASS III
IP44
2 x 1.5 V 1300mAh NiMH AA battery
Sensor
Plastic



9759801000



6951301189 LONDON
 


Type Li-ion rechargeable
 Voltage 7.4V
 Capacity 2200mAh
 Connection 1mm round

9759802000


6901201000 TILLY
 

Type Li-ion rechargeable
 Voltage 7.4V
 Capacity 2200mAh
 Connection SM flat

9759803000


6901601000 SUNSHINE
 

Type Li-ion rechargeable
 Voltage 3.7V
 Capacity 2200mAh
 Connection 1mm round

9759805000


6910802335 POPPY
 

Type Li-ion rechargeable
 Voltage 3.7V
 Capacity 4400mAh
 Connection SM flat

9759804000


6935501330 TUDA
 

6935502330 TUDA
 

6938405330 GINBO
 

6941502330 FRAN
 

6939501330 FADI
 

6935802012 KARLO
 

6904101337 DRAGONFLY
 

6904101331 DRAGONFLY
 

6914401000 MINI LEDSPOT
 

6908501308 BRICK
 

6901501000 BREAD
 

6908701001 BUBBLE
 


6906702335 DISO
 


6906703335 DISO
 


6901401337 GHOST SOLAR
 


6925601345 SUNSHINE
 


Type Li-ion rechargeable
 Voltage 3.7V
 Capacity 2200mAh
 Connection NA


9759806000



6908001337 TABLE CUBE
 


6908001331 TABLE CUBE
 

6908002337 TABLE CUBE
 

6910601335 ARROW
 

6908901335 TWILL
 

6934601118 CURTIS
 

6907903001 SOLSTEL
 

Type Li-ion rechargeable
 Voltage 3.7V
 Capacity 1200mAh
 Connection NA

9759808000


6943101012 MOZE
 

6939101330 TRY
 

6940101125 DOBLO
 

6943701125 DOBLO
 

6943801125 DOBLO
 

6988804012 FLAIR
 

6925701345 SUNSHINE
 

6925604345 SUNSHINE
 


Type Li-ion rechargeable
 Voltage 3.7V
 Capacity 1500mAh
 Connection NA

introducing our company

50 years of experience

The beginnings of a lighting company


Originally set up as a national aluminium die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. Our quality standards have always met international standards and the first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden & professional lighting resulting from a booming international demand. From 2009 a close collaboration with the Design(Pool) had two objectives; to create a stronger offer for the ODM market and to develop a platform for our own brand of lighting. LUTEC was launched in 2010, focusing on architectural LED lighting and the introduction Solar Energy Products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.



Whilst it is true, LUTEC is a young brand, it is built on a strong manufacturing background (40 years of experience) and a solid reputation of technological expertise. Manufacturing involves imagination and efficiency.

Why we decided to establish a brand?

The brand gives us a needed visibility. The brand allows us to anticipate the market, to make our own choices related to trends and to make developments such as we perceive them through our partners in different countries. Connected by lighting underlines our intention to develop products in accordance with the final consumers, through all our network and distribution channels. Having become a major player in the lighting field, our main objective is to consolidate our offer through creativity, our designs evolve and involve the highest level of quality and services.



Nowadays Lighting is both essential and magic.

The challenge of lighting market is to create products which are a balance between the shape, impact and attractiveness however, they must also provide real functional values. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls. To serve our objectives, we have continued to expand our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing.

Future is already here Support the users

Today we are all surrounded by the interactive and connected World. For many reasons it is evident that the lighting market must also embrace this new internet age. The need to control our lighting, at will, from afar and to suit our environment is a must have feature. Temperature, color, dimming, activity sensors and timing controls are the norm. Programmable solutions for energy saving, interactivity between multiple light points or installations are becoming standard. Security options with camera vision, live video and recording are no longer a futuristic dream as LUTEC products can perform all of the above.

welcome to the lutec center

connected by lighting

The LUTEC centre is in our HQ in Yuyao and located on our production site, it is an International meeting venue where new concepts, innovation & strategies are studied then created and shared, with our partners.



We provide an expert platform in design, sales and services. We have the will to show and experiment different approaches creating choices for the short or medium terms. Staying close to our customers, which by extension also means the final consumers, allows the right design solutions to be found. Our team is trained to be proactive and reactive. The key to realise a win-win product is to always explore the possibilities, look outside the box to find the best solution.




In our view innovation is always closely linked to a right level of realization.

design & engineering

design, engineering & manufacturing, all interactive.

One of the main decision we have taken in the LUTEC organisation is to break down the walls between of each department to improve product strategy. This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects. It works because we consider that we are all concerned in the success of a product.



We all know development is complex with many obstacles to overcome however by working together helps our team to aim for the perfect solution as smoothly as possible. Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are all one, this method improves time to market significantly.



warehousing & transport

global logistic footprint assuring availability & proximity.



Unlike many manufacturers in this sector, LUTEC keep significant levels of completed stock which is packaged and ready to ship. This is in addition to our stock process flow, feeding our satellite distribution centres in Europe and elsewhere around the World. Our aim is to reduce the lead time wherever possible on key products.

CCW

China Central
Warehouse
Yuyao - China

ECW

European Central
Warehouse
Bornem - Belgium

Since 2014, the European Central Warehouse is fully operational. This warehouse located in Belgium, centrally situated in Europe with an average lead time of 7 days for most shipments within Europe, LUTEC products are always within reasonable reach.

We offer different transport options: direct shipment, cross docking or pick-up, in co-operation with each territory. The ECW product portfolio now contains 350 sku's.

Now, we've also the possibility to assure different value adding trade marketing services in the ECW.



LUTEC quality



As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.



All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

Subject to conditions, please see our website.
www.lutec.com/warranty



Integrated LED Light-engines

In the majority of our ranges we use dedicated LED light engines. The LUTEC in-house engineering/production departments only use primary component suppliers, constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio as well as increasing levels of lumen/monetary ratio.

Low Energy Cost: LUTEC products offer at least an 80% saving compared to traditional sources
Long Lifetime: up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

- Lumen Maintenance: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse
- ERP compliant

The LED driver is the heart of the LED module and is the main influencer of the life-time. LUTEC develops these drivers to the specification of the product for best performance. The production of the SMD's used in the LUTEC-drivers is done in-house in our approved SMT assembly lines. All drivers are compliant to all relevant standard and regulations. UL-GS-EMC-FCC-ERP.




new ERP regulations 2021

New EU regulation

As from September 2021 the new EU regulation concerning Energy Efficiency for Lighting products replaces the previous EU-regulation no 874/2012.

It involves New Energy Labelling regulations (EU) 2019/2015 and New Ecodesign requirements for light sources. (EU) 2019/2020.

Overall objective of this updated regulation is to protect environment, improve durability of lighting products and strengthen consumer protection.




LUTEC Outdoor Portfolio


All LUTEC outdoor luminaires within the scope of the new EU-regulation have been updated and tested in 2021 in order to become fully compliant to the new regulations. This has resulted in the attribution of a new classification with Energy Efficiency Classes in between A & G.

"Containing Products" Classification

The complete range of LUTEC luminaires has been classified as Containing Products with a removable and non-replaceable LED-module. AS a result we have tested the separate Lighting LED-Module as the Light Source and so the new Energy Efficiency Class is related to the LED-Module and not to the complete luminaire as such.



NON-REPLACEABLE LIGHT SOURCE



LED Module - Energy Efficiency Class

In order to make it clear that the test results are related to the LED Module, a specific EEL label was created with a "M" (Module) indication behind the item nr.

This EEL label can't be shown on the packaging of the complete Outdoor Luminaire. In the Instruction Manual we indicated the Energy Class of the concerned light Source (= LED Module)

EPREL Database

Consumers can access the database by scanning the QR code featured on the new energy labels. The EPREL database offers detailed information of all registered LUTEC products.

Available information on www.lutec.com


On our LUTEC website all related information is available for consultation and easy download of specific documents:

- Energy Label
- Instruction Manual
- Product Information sheet (with test results)
- Light Source Remove instructions



Catalogue info

On each product page in this catalogue we've mentioned the Energy Efficiency Class of the concerned LED Module, with a letter symbol.




sustainable & environmental vision



LUTEC constantly strives to reduce the environmental impact. It's our intention to become step by step a carbon neutral company, embracing sustainable choices.

Durable Products

- LUTEC outdoor luminaires are made from durable materials, fully weatherproof, to last for many years.
- Thanks to the evergreen designs most of our customers will enjoy the LUTEC outdoor lights for many years around their homes, terraces and gardens.



Sustainable Resources

- We're using high density die-cast aluminium, durable synthetics glass, paper and carton as main materials in our LUTEC luminaires.
- These materials can be recycled in a convenient and economic way. This in existing recycle centres all over the served markets.




Sustainable Functions & Features

- LED Lights : consume 80% less energy vs traditional light sources
- SENSOR Lights : consume energy only when you need the light
- CONNECTED Lights : smart use & control of the lights, results in energy saving up to 90%

SOLAR Lights : 100 % green energy

- Focus on development of efficient and smart Solar luminaires
- High light output in relation with required autonomy
- Last year, more than 400 thousand homes were equipped with a new LUTEC Solar light.

LUTEC
SOLAR



Sustainable Product Development

- Use of LED integrated light modules resulting in an overall longer life cycle of the luminaire, thanks to optimal heat management.
- Use of retrofit solutions, giving consumers the possibility to change the light bulbs in the LUTEC luminaires into more advanced and energy saving versions in the future.
- Research and Development of replaceable LED engines as fully demountable components leading to a truly cradle to cradle approach.



Zero-Plastic Packaging

- LUTEC has started the complete ban of plastic bags in their consumer packaging as from mid 2021. This means that for all new luminaires put on the markets in 2022, we use only carton and paper.
- By the end of 2022, 60% of all unit-boxes shipped out from our factory will be plastic bags free.



Responsible Production & Operations

- On the roofs of UTEC Ningbo production facilities in China we've installed recently high efficiency solar panels.
- This with a total solar panel surface of 6000m² resulting in a green energy capacity of 48.630kWh saving 30% of our annual energy consumption.



materials & Finishes

LUTEC exterior products are produced using high quality materials and finishes with excellent weather protection properties as well as mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases the preferred material, our process ensure no air holes. The LUTEC In-house fully automatic powder-coating & water painting installation provides excellent protection against corrosion.

LUTEC benefits from an in-house tooling workshop for both aluminum and synthetic components. This facility provides us with high quality production especially where premium Stainless Steel is used, typically in ground recessed spotlights using grade 304 & 316 steel. For the wall & bollards: 201 & 202 is utilised with an electrophoretic paint, resulting in an additional layer of protection.

Different kind of durable synthetics, depending on the application and form factors. For the fixtures: in most cases ABS, this is a strong, light-weighted material and can be used under low and high outdoor temperatures. For the diffusers: the impact proof and very resistant PC (polycarbonate) is used in opal or transparent version. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.



IP rating table

Protection against solids	Protection against liquids
0 Not Protected	0 Not Protected
1 Protected against Solid Objects greater than 50mm	1 Protected against Dripping Water
2 Protected against Solid Objects greater than 12mm	2 Protected against Dripping Water when tilted to 15°
3 Protected against Solid Objects greater than 2.5mm	3 Protected against Spraying Water
4 Protected against Solid Objects greater than 1mm	4 Protected against Splashing Water
5 Dust Protected	5 Protected against Water Jets
6 Dust Tight	6 Protected against Heavy Seas
	7 Protected against the effects of Immersion
	8 Protected against Submersion

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

Color Indication

- Dark Grey
- Matt Black
- Silver Grey
- Bronze
- S/S
- Chrome
- Galvanised
- Wood-Look
- White
- Matt Rust




mounting, installation & maintenance

Instruction Manual



LUTEC pays a lot of attention to a user friendly and effective yet simple instructions, we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website. Clear explanations in 8 European languages.



Service network



Our service network is available on global level through our LUTEC Partners. Contact details: www.lutec.com/services/global-network



LUTEC brand identity packaging

The LUTEC corporate identity has been revamped in line with our evolving brand values. New trade support tools and POS have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.






Recently we introduced the fully refreshed packaging, being applied to our complete portfolio. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products. The product is always the hero with an inspiring photography. The refreshed LUTEC logo is visible from all sides of the packaging which together with the green banner this will further improve the brand recognition.

As from this year, the LUTEC SOLAR and LUTEC SECURITY unit-box graphics are launched in the market for the newly introduced LUTEC connect Solar and LUTEC connect Camera ranges. By means of a distinctive colour indication, Orange for Solar & Red for Security, the consumers will easily recognize the difference with the standard LUTEC outdoor ranges.

LUTEC brand identity rich content

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, allowing ease of selection. All support materials are accessible through our refreshed website www.lutec.com. Where you can find the LUTEC database with all kind of "rich content": product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, etc.

All support materials may be used for numerous marketing initiatives such as driving traffic to your own landing pages on your websites via social media. Content can be created in a convenient and attractive way resulting dynamic information and content to inform and inspire the customers about the LUTEC products.



Index : as per NEW ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
5000501118	DROPA	37	5189113118	GEMINI	137	5196501118	URBAN	123	5288802012	FLAIR	203
5010901118	DROPSI	35	5189114118	GEMINI	135	5196504118	URBAN	123	5288803012	FLAIR	205
5011602461	VIDAR	151	5189120118	GEMINI	43	5197002125	DOBLO	105	5288804012	FLAIR	205
5011701461	RAN	149	5189125012	GEMINI	135	5198101012	CYRA	71	5288811012	FLAIR	307
5102101118	HELENA	183	5189135118	GEMINI	137	5198101118	CYRA	71	5288814012	FLAIR	205
5102501001	FANCY	145	5191601118	HELENA	185	5198102118	CYRA	71	5288902118	KIRA	95
5104001118	GEMINI XF	131	5191602118	HELENA	185	5198102118	CYRA	331	5288903118	KIRA	95
5104002012	GEMINI XF	131	5191605012	HELENA	185	5198104012	CYRA	73	5288909118	KIRA	41
5104003012	GEMINI BEAM 127		5192701118	LEO	153	5198104118	CYRA	73	5289001118	PANO	81
5104003032	GEMINI BEAM 127		5192701330	LEO	153	5198302001	MAYA	147	5290903012	FIA	197
5104004001	GEMINI XF	131	5192701335	LEO	153	5198401001	MAYA	147	5294502012	ZAGO	195
5104005118	GEMINI BEAM 127		5192702335	LEO	153	5198401001	MAYA	323	5296602012	PINE	201
5104006012	GEMINI BEAM 129		5193001118	QUBO	99	5199001118	EKLIPS	69	5604011112	FOCUS	161
5105001125	DOBLO	107	5193002118	QUBO	99	5199201118	CRUZ	103	5604011118	FOCUS	161
5105002125	DOBLO	107	5193002118	QUBO	327	5205701118	POLO	83	5604021001	FOCUS	159
5105003125	DOBLO	109	5193004118	QUBO	39	5205702118	POLO	83	5604023012	FOCUS	163
5107001118	CONROY	55	5193201118	LOTUS	125	5206501012	SHIVA	193	5604023112	FOCUS	163
5107101118	RIDGE	157	5193602118	ADALYN	111	5206701118	BRUND	155	5604023118	FOCUS	163
5107401125	DOBLO	109	5193801012	CUBA	59	5207601012	FULTON	119	5604101118	FOCUS	161
5183601118	CITY	121	5193801118	CUBA	59	5207901012	WEST	199	5605013118	FOCUS	167
5184601118	BOX CUBE	117	5193803012	CUBA	63	5260101012	UNITE	217	5614401118	MINI LEDSPOT75	
5188003118	GHOST	89	5193803118	CUBA	63	5260103012	UNITE	217	5616302118	MERIDIAN	85
5188601125	BATI	113	5193808118	CUBA	59	5260201012	UNITE	217	5616304118	MERIDIAN	85
5188602125	BATI	113	5193810118	CUBA	33	5264201213	CATE	215	5626001118	TRUMPET	77
5188801118	APOLLO	93	5193811118	CUBA	57	5267103001	LEDA	329	5626101125	TRUMPET	77
5189101118	GEMINI	139	5193812118	CUBA	309	5267106001	ELARA	313	6273601012	KELSEY	211
5189102032	GEMINI	137	5193814118	CUBA	63	5267106118	ELARA	313	6303401118	SWEEP	177
5189102118	GEMINI	137	5194301118	ALICE	91	5273601012	KELSEY	209	6304201118	FOCUS	165
5189103118	GEMINI	137	5194802001	FARELL	325	5273603012	KELSEY	209	6330401118	BONN	143
5189104118	GEMINI	141	5195401118	QUBO	97	5273701012	KELSEY	209	6330402001	BONN	143
5189112012	GEMINI	139	5196004118	POLLUX	311	5273702012	KELSEY	209	6336201118	TITAN	175
5189112118	GEMINI	139	5196301118	FELE	67	5288801012	FLAIR	203	6338201118	SEINE	179

Index : as per NEW ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
6348101112	UBLO	173	6925601345	SUNSHINE	293	7198101012	CYRA	73	7635605331	ARTICA	335
6348102112	UBLO	173	6925604345	SUNSHINE	291	7198101118	CYRA	73	7700511012	BERLIN	351
6382201012	ROLA	171	6925701345	SUNSHINE	291	7199201118	CRUZ	103	7701301012	ARCTIC	355
6382201118	ROLA	171	6934601118	CURTIS	277	7200501118	DROPA	37	7704216012	CYDOPS	353
6383001118	BULLO	169	6935501330	TUDA	227	7202201012	MAINS	45	7704223012	CYDOPS	353
6383001445	BULLO	169	6935502330	TUDA	229	7204803118	FOCUS	165	8500102331	PEPPER	29
6402101118	HELENA	181	6935802012	KARLO	237	7207001118	CONROY	55	8506201331	NOMA	27
6402105012	HELENA	181	6938405330	GINBO	235	7207601012	FULTON	119	9700308112	POLE	285
6588801012	FLAIR	207	6939101330	TRY	255	7214603118	MINI LEDSPOT	75	9700357000	LONDON	289
6602903424	MINI LETO	31	6939501330	FADI	233	7216412118	MERIDIAN	87	9700359330	LONDON	289
6609201118	EXPLORER	79	6940101125	DOBLO	269	7264210213	CATE	215	9701501330	TORUS	345
6609202118	EXPLORER	79	6941502330	FRAN	231	7264230213	CATE	215	9701601330	SPHERE	343
6901101000	ZETA	283	6943101012	MOZE	253	7273601012	KELSEY	213	9702201012	MAINS	187
6901201000	TILLY	287	6943701125	DOBLO	271	7273602012	KELSEY	211	9702202012	MAINS	187
6901401337	GHOST SOLAR	281	6943801125	DOBLO	273	7273604012	KELSEY	211	9702203012	MAINS	187
6901501000	BREAD	261	6951301189	LONDON	289	7273605012	KELSEY	213	9702315361	REMOTE CONTROL	361
6901601000	SUNSHINE	295	6988804012	FLAIR	275	7273606012	KELSEY	213	9704401361	ACCESS BOX	362
6904101331	DRAGONFLY	249	7104001118	GEMINI XF	133	7288801012	FLAIR	207	9706201361	SMART SWITCH	363
6904101337	DRAGONFLY	249	7104002012	GEMINI XF	133	7288902118	KIRA	95	9759801000	BATTERY PACK	366
6906702335	DISO	267	7105701118	POLO	83	7288906118	KIRA	41	9759802000	BATTERY PACK	366
6906703335	DISO	267	7188601125	BATI	115	7289001118	PANO	81	9759803000	BATTERY PACK	366
6907701331	PADLIGHT	247	7193001118	QUBO	101	7290901012	FIA	197	9759804000	BATTERY PACK	366
6907903001	SOLSTEL	279	7193003118	QUBO	39	7290903012	FIA	197	9759805000	BATTERY PACK	367
6908001331	TABLE CUBE	243	7193004118	QUBO	101	7622104330	SHRIMP II	341	9759806000	BATTERY PACK	367
6908001337	TABLE CUBE	243	7193801118	CUBA	61	7622220012	DRACO	315	9759808000	BATTERY PACK	367
6908002337	TABLE CUBE	245	7193802012	CUBA	65	7622221012	SHRIMP	341			
6908501308	BRICK	259	7193802118	CUBA	65	7622222012	SHRIMP	341			
6908701001	BUBBLE	263	7193803118	CUBA	61	7625601345	SUNSHINE	333			
6908901335	TWILL	265	7193805118	CUBA	65	7625701345	SUNSHINE	333			
6910601335	ARROW	257	7196301118	FELE	67	7629401331	PERI	339			
6910802335	POPPY	241	7196601012	PINE	201	7632201053	ARC	337			
6914401000	MINI LEDSPOT	251	7196603012	PINE	201	7632406053	LIBRA	317			

Index : as per SERIES NAME

NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE
ACCESS BOX	9704401361	362	CONROY	5107001118	55	DOBLO	5107401125	109	FLAIR	5288814012	205
ADALYN	5193602118	111	CONROY	7207001118	55	DOBLO	5105001125	107	FLAIR	6588801012	207
ALICE	5194301118	91	CRUZ	5199201118	103	DOBLO	5105002125	107	FLAIR	6988804012	275
APOLLO	5188801118	93	CRUZ	7199201118	103	DOBLO	5105003125	109	FLAIR	7288801012	207
ARC	7632201053	337	CUBA	5193801012	59	DOBLO	5197002125	105	FOCUS	5604011112	161
ARCTIC	7701301012	355	CUBA	5193801118	59	DOBLO	6940101125	269	FOCUS	5604011118	161
ARROW	6910601335	257	CUBA	5193803012	63	DOBLO	6943701125	271	FOCUS	5604021001	159
ARTICA	7635605331	335	CUBA	5193803118	63	DOBLO	6943801125	273	FOCUS	5604023012	163
BATI	5188601125	113	CUBA	5193808118	59	DRACO	7622220012	315	FOCUS	5604023112	163
BATI	5188602125	113	CUBA	5193810118	33	DRAGONFLY	6904101331	249	FOCUS	5604023118	163
BATI	7188601125	115	CUBA	5193811118	57	DRAGONFLY	6904101337	249	FOCUS	5604101118	161
BATTERY PACK	9759801000	366	CUBA	5193812118	309	DROPA	5000501118	37	FOCUS	5605013118	167
BATTERY PACK	9759802000	366	CUBA	5193814118	63	DROPA	7200501118	37	FOCUS	6304201118	165
BATTERY PACK	9759803000	366	CUBA	7193801118	61	DROPSI	5010901118	35	FOCUS	7204803118	165
BATTERY PACK	9759804000	366	CUBA	7193802012	65	EKLIPS	5199001118	69	FRAN	6941502330	231
BATTERY PACK	9759805000	367	CUBA	7193802118	65	ELARA	5267106001	313	FULTON	5207601012	119
BATTERY PACK	9759806000	367	CUBA	7193803118	61	ELARA	5267106118	313	FULTON	7207601012	119
BATTERY PACK	9759808000	367	CUBA	7193805118	65	EXPLORER	6609202118	79	GEMINI	5189101118	139
BERLIN	7700511012	351	CURTIS	6934601118	277	EXPLORER	6609201118	79	GEMINI	5189102032	137
BONN	6330401118	143	CYDOPS	7704216012	353	FADI	6939501330	233	GEMINI	5189102118	137
BONN	6330402001	143	CYDOPS	7704223012	353	FANCY	5102501001	145	GEMINI	5189103118	137
BOX CUBE	5184601118	117	CYRA	5198101012	71	FARELL	5194802001	325	GEMINI	5189104118	141
BREAD	6901501000	261	CYRA	5198101118	71	FELE	5196301118	67	GEMINI	5189112012	139
BRICK	6908501308	259	CYRA	5198102118	71	FELE	7196301118	67	GEMINI	5189112118	139
BRUND	5206701118	155	CYRA	5198102118	331	FIA	5290903012	197	GEMINI	5189113118	137
BUBBLE	6908701001	263	CYRA	5198104012	73	FIA	7290901012	197	GEMINI	5189114118	135
BULLO	6383001118	169	CYRA	5198104118	73	FIA	7290903012	197	GEMINI	5189125012	135
BULLO	6383001445	169	CYRA	7198101012	73	FLAIR	5288801012	203	GEMINI	5189135118	137
CATE	5264201213	215	CYRA	7198101118	73	FLAIR	5288802012	203	GEMINI	5189120118	43
CATE	7264210213	215	DAWNY	9760002330	365	FLAIR	5288803012	205	GEMINI XF	5104001118	131
CATE	7264230213	215	DISO	6906702335	267	FLAIR	5288804012	205	GEMINI XF	5104002012	131
CITY	5183601118	121	DISO	6906703335	267	FLAIR	5288811012	307	GEMINI XF	5104004001	131

Index : as per SERIES NAME

NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE
GEMINI XF	7104001118	133	LEO	5192701118	153	PINE	7196603012	201	SUNSHINE	7625701345	333
GEMINI XF	7104002012	133	LEO	5192701330	153	POLE	9700308112	285	SUNSHINE	6925601345	293
GEMINI BEAM	5104003012	127	LEO	5192701335	153	POLLUX	5196004118	311	SWEEP	6303401118	177
GEMINI BEAM	5104003032	127	LEO	5192702335	153	POLO	5205701118	83	TABLE CUBE	6908001331	243
GEMINI BEAM	5104005118	127	LIBRA	7632406053	317	POLO	5205702118	83	TABLE CUBE	6908001337	243
GEMINI BEAM	5104006012	129	LONDON	6951301189	289	POLO	7105701118	83	TABLE CUBE	6908002337	245
GHOST	5188003118	89	LONDON	9700357000	289	POPPY	6910802335	241	TILLY	6901201000	287
GHOST SOLAR	6901401337	281	LONDON	9700359330	289	QUBO	5193001118	99	TITAN	6336201118	175
GINBO	6938405330	235	LOTUS	5193201118	125	QUBO	5193002118	99	TORUS	9701501330	345
HELENA	5102101118	183	MAINS	7202201012	45	QUBO	5193002118	327	TRUMPET	5626001118	77
HELENA	5191601118	185	MAINS	9702201012	187	QUBO	5193004118	39	TRUMPET	5626101125	77
HELENA	5191602118	185	MAINS	9702202012	187	QUBO	5195401118	97	TRY	6939101330	255
HELENA	5191605012	185	MAINS	9702203012	187	QUBO	7193001118	101	TUDA	6935501330	227
HELENA	6402101118	181	MAYA	5198302001	147	QUBO	7193003118	39	TUDA	6935502330	229
HELENA	6402105012	181	MAYA	5198401001	147	QUBO	7193004118	101	TWILL	6908901335	265
KARLO	6935802012	237	MAYA	5198401001	323	RAN	5011701461	149	UBLO	6348101112	173
KELSEY	5273601012	209	MERIDIAN	5616302118	85	REMOTE CONTROL	9702315361	361	UBLO	6348102112	173
KELSEY	5273603012	209	MERIDIAN	5616304118	85	RIDGE	5107101118	157	UNITE	5260101012	217
KELSEY	5273701012	209	MERIDIAN	7216412118	87	ROLA	6382201012	171	UNITE	5260103012	217
KELSEY	5273702012	209	MINI LEDSPOT	5614401118	75	ROLA	6382201118	171	UNITE	5260201012	217
KELSEY	6273601012	211	MINI LEDSPOT	6914401000	251	SEINE	6338201118	179	URBAN	5196501118	123
KELSEY	7273601012	213	MINI LEDSPOT	7214603118	75	SHIVA	5206501012	193	URBAN	5196504118	123
KELSEY	7273602012	211	MINI LETO	6602903424	31	SHRIMP	7622221012	341	VIDAR	5011602461	151
KELSEY	7273604012	211	MOZE	6943101012	253	SHRIMP	7622222012	341	WEST	5207901012	199
KELSEY	7273605012	213	NOMA	8506201331	27	SHRIMP II	7622104330	341	ZAGO	5294502012	195
KELSEY	7273606012	213	PADLIGHT	6907701331	247	SMART SWITCH	9706201361	363	ZETA	6901101000	283
KIRA	5288902118	95	PANO	5289001118	81	SOLSTEL	6907903001	279			
KIRA	5288903118	95	PANO	7289001118	81	SPHERE	9701601330	343			
KIRA	5288909118	41	PEPPER	8500102331	29	SUNSHINE	6901601000	295			
KIRA	7288902118	95	PERI	7629401331	339	SUNSHINE	6925604345	291			
KIRA	7288906118	41	PINE	5296602012	201	SUNSHINE	6925701345	291			
LEDA	5267103001	329	PINE	7196601012	201	SUNSHINE	7625601345	333			

[illegible]