

 WARRANTY	 CHECKED	 GERMANY	 ROTATED	Socket strips Valid from 01.01.2021	
Description		Item no.	PU	EAN	
EHMANN adapter plug Mobile adapter plug with earth contact, type F, child protection, IP20					
					
Overvoltage protection plug comfort (multiple use), white		0460x0500	10	4012096000587	
					
Line filter adapter plug white		0463x0000	10	4012096003939	
EHMANN socket strips Socket strips with angular earth contact plug, universal type F, expanded contact protection, robust plastic body, grey, IP20, power cord H05VV-F 3G1,5mm², CEE7/7 angular earth contact plug					
					
Universal socket strips					
3-fold, power cord 1,5 m		0200x00032301	10	4012096023227	
3-fold, power cord 3,0 m		0200x00032303	10	4012096003694	
3-fold, power cord 5,0 m *		0200x00032305	10	4012096003700	
3-fold, bipolar, illuminated rocker switch, power cord 1,5 m		0201x00032301	10	4012096023289	
3-fold, bipolar, illuminated rocker switch, power cord 3,0 m		0201x00032303	10	4012096003977	
3-fold, bipolar, illuminated rocker switch, power cord 5,0 m *		0201x00032305	10	4012096003984	
4-fold, power cord 1,5 m		0200x00042301	10	4012096000211	
4-fold, power cord 3,0 m		0200x00042303	10	4012096003991	
4-fold, power cord 5,0 m *		0200x00042305	10	4012096004004	
5-fold, power cord 1,5 m		0200x00052301	10	4012096023104	
5-fold, power cord 3 m		0200x00052303	10	4012096323105	
5-fold, bipolar, illuminated rocker switch, power cord 1,5 m		0201x00052301	10	4012096024002	
5-fold, bipolar, illuminated rocker switch, power cord 3,0 m		0201x00052303	10	4012096323006	
5-fold, bipolar, illuminated rocker switch, power cord 5,0 m *		0201x00052305	10	4012096523000	
6-fold, power cord 1,5 m		0200x00062301	10	4012096024361	
6-fold, power cord 3,0 m		0200x00062303	10	4012096024392	
6-fold, power cord 5,0 m *		0200x00062305	10	4012096003038	
6-fold, bipolar, illuminated rocker switch, power cord 1,5 m		0201x00062301	10	4012096007418	
6-fold, bipolar, illuminated rocker switch, power cord 3 m		0201x00062303	10	4012096007449	
7-fold, bipolar, illuminated rocker switch, power cord 1,5 m		0201x00072301	10	4012096024057	
7-fold, bipolar, illuminated rocker switch, power cord 3,0 m		0201x00072303	10	4012096323051	
7-fold, bipolar, illuminated rocker switch, power cord 5,0 m *		0201x00072305	10	4012096004011	
8-fold, power cord 1,5 m		0200x00082301	10	4012096024187	
8-fold, power cord 3,0 m		0200x00082303	10	4012096024194	
8-fold, power cord 5,0 m *		0200x00082305	10	4012096024484	
9-fold, bipolar, illuminated rocker switch, power cord 1,5 m		0201x00092301	10	4012096000280	
9-fold, bipolar, illuminated rocker switch, power cord 3,0 m		0201x00092303	10	4012096004028	
9-fold, bipolar, illuminated rocker switch, power cord 5,0 m *		0201x00092305	10	4012096004035	
10-fold, power cord 1,5 m		0200x00102301	10	4012096023258	
10-fold, power cord 3,0 m		0200x00102303	10	4012096004042	
10-fold, power cord 5,0 m *		0200x00102305	10	4012096002918	
11-fold, bipolar, illuminated rocker switch, power cord 1,5 m		0201x00112301	10	4012096023128	
11-fold, bipolar, illuminated rocker switch, power cord 3,0 m		0201x00112303	10	4012096024125	
11-fold, bipolar, illuminated rocker switch, power cord 5,0 m *		0201x00112305	10	4012096003823	
12-fold, power cord 1,5 m		0200x00122301	10	4012096024026	
12-fold, power cord 3,0 m		0200x00122303	10	4012096024330	
12-fold, power cord 5,0 m *		0200x00122305	10	4012096024507	
					
3-fold with cold-device-plug (IEC 320), power cord 1,5 m		0200x00032308	10	4012096123309	

			
3+3+2-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0203x00082301	10	4012096000181
			
5+5-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0202x00052301	10	4012096024415
1+5+5-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0235x00052301	10	4012096024545
			
IT - 19" socket strips			
6-fold, power cord 1,5 m	0200x00062311	25	4012096026402
Pro IT-19" 4-fold LAN-Display D	0259x00042313	10	4012096005957
Temperature sensor for LAN-bar	9017x0000	10	4012096002895
			
Socket strips with external push button			
6-fold, power cord 1,5 m	0200x00062381	10	4012096004196
Overvoltage protection, acoustic failure indication, 5-fold, power cord 1,5 m	0206x00052381	10	4012096004202
Overvoltage protection, acoustic failure indication, 5+2-fold, power cord 1,5 m	0206x00072381	10	4012096004219
			
Socket strips with external protective earth conductor			
5-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0201x0005230101	10	4012096005810
5-fold, bipolar, illuminated rocker switch, overvoltage protection, power cord 1,5 m	0206x0005230101	10	4012096005803
			
Socket strips without power cord			
Connectable with space for your individual power cord			
5-fold, bipolar, illuminated rocker switch	0201x00052300	10	4012096029014
5-fold	0200x00052300	10	4012096029007
7-fold, bipolar, illuminated rocker switch	0201x00072300	10	4012096029052
Power cord with earth contact plug			
H05VV-F 3G1,5mm ² L= 1,5 m	9065x0050	10	4012096005964
H05VV-F 3G1,5mm ² L= 3,0 m	9065x0000	10	4012096006506
H05VV-F 3G1,5mm ² L= 5,0 m	9065x0100	10	4012096006513
H05VV-F 3G1,5mm ² L= 10,0 m	9065x0150	10	4012096005971
			
Work shop socket strip			
Adjustable lead-time and follow-up time			
Inrush current limiting and control of vacuuming devices NEW			
2 x master, 2 x slave, 1 x permanent, adjustable lead-time and follow-up time, power cord 1,5m	0266x00059301	10	4012096007487
			
Electricity meter strip			
MID calibrated to register the consume of energy NEW			
4-fold, with MID calibrated energy meter, power cord 3,0 m	0270x00042303	10	4012096009221



Overvoltage protection (EN 61643-11 type 3) socket strips, acoustic failure indication, bipolar, illuminated rocker switch
Line filter for the protection of high frequency interferences originating from the line

OP, 5-fold, power cord 1,5 m	0206x00052301	25	4012096024118
OP, Main filter, 5-fold, power cord 1,5 m	0207x00052301	10	4012096024217
OP, Main filter 12-fold, power cord 1,5 m	0207x00122301	10	4012096023296



Master-Slave-PRO socket strips, precise adjustment of switching threshold 7-100W NEW

IT-MS-PRO, 1x master, 4x slave, for 19" (2HU), power cord 1,5 m	0214x00058341	10	4012096007487
MS-PRO, 1x master, 4x slave, 2x permanent, EN 61643-11 type 3, acoustic, 1,5 m	0215x00078301	10	4012096007494
MS-PRO, 1x master, 3x slave, 1x USB-slave, power cord 1,5 m	0216x0a048301	10	4012096007500
1x Input C14, 1x master, 6x slave, 1x permanent, with IEC-60320 C13/C14	0211x05082308	10	4012096006466



RCD / Personal protection socket strips bipolar, illuminated rocker switch

RCD, 10mA, 4-fold, power cord 1,5 m	0220x00042301	10	4012096023135
RCD, 30mA, 4-fold, power cord 1,5 m	0221x00042301	10	4012096023234
RCD, 30mA, 4-fold, power cord 3 m NEW	0221x00042303	10	4012096023234
RCBO, 30mA, 4-fold, power cord 1,5 m	0250x00042301	10	4012096001416
DI, 5-fold, power cord 1,5 m	0221x00052309	10	4012096024354

Inrush current limiter to avoid current peaks NEW

Inrush current limiter, 6-fold, power cord 1,5 m	0268x0062301	10	4012096 007968
--	--------------	----	----------------



Socket strips with automatic switch-off

Automatic switchoff, 1 - 60 minutes, 1-fold, power cord 1,5 m	0217x00012a01	10	4012096023579
Automatic switchoff, 1,5 - 12 hours, 1-fold, power cord 1,5 m	0223x00012a01	10	4012096005988
Automatic switchoff, 1 - 60 minutes, 2-fold, power cord 1,5 m	0222x00022301	10	4012096024040
Automatic switchoff, 1,5 - 12 hours, 5-fold, power cord 1,5 m	0223x00052301	10	4012096023241
Energy manager, power distributor, 2-fold, power cord 1,5 m	0218x00022301	10	4012096024279

EHMANN socket strips with hinged lids

Earth contact socket strip with hinged lids, type F, robust plastic body, grey, IP20, power cord H05VV-F 3G1,5mm², CEE7/7 angular earth contact plug. On request, other versions of hinged lid socket strips are available.



Hinged lid socket strips - increased protection against dirt

3-fold, hinged lid, power cord 3m	0200x08032303	10	4012096007975
5-fold, hinged lid, 2-pole, illuminated switch, power cord 3m	0201x08052303	10	4012096007838
6-fold, hinged lid, power cord 1,5m	0200x08062301	10	4012096007982

EHMANN CEE/earth contact socket strips (400V/230V)

CEE 16A 400V plug, 3-phase, split onto 3 x 2 earth contact sockets, type F, expanded contact protection, robust plastic body, black, IP20, power cord, H07RN-F 5G1,5 black



CEE/earth contact socket strip (400V/230V)

3 x 2-fold, 3 x 230V (400V/230V), power cord 4,5 m	0253x0006931g	10	4012096009634
--	---------------	----	---------------

EHMANN module socket strip

Earth contact sockets, type F, expandable with Wieland plugs, robust plastic body, white, IP20, with touch protection, Wieland plug system GST18i3



Power strip modules

3-fold	0107x0031	10	4012096010739
6-fold	0109x0051	10	4012096010906

Switch modules

3-fold	0103x0031	10	4012096010333
5-fold	0105x0051	10	4012096010555

Function modules

Overvoltage protection module, 5-fold	0140x0051	10	4012096014058
Main protection, operator protection and line protection module RCBO30, 1-fold	0111x0031	10	4012096011101
Power line with 2 end caps	0175x0001	10	4012096017509
Extension with 2 end caps	0174x0001	10	4012096017400
Adapter plug with intermediate cover	0172x0001	10	4012096017202

EHMANN aluminium socket strips

Power strips, type F, with precious aluminium case, with child protection, power cord H05VV-F 3G1,5mm², CEE7/7 angular earth contact plug, IP20



Universal Aluminium Steckdosenleisten

3-fold, power cord 1,5 m NEW	0600x00032031	10	4012096009641
3-fold, power cord 3 m NEW	0600x00032033	10	4012096009658
4-fold, power cord 1,5 m	0600x00042031	10	4012096000518
4-fold, power cord 3,0 m	0600x00042033	10	4012096004738
4-fold, power cord 5,0 m *	0600x00042035	10	4012096005919
5-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0601x00052031	10	4012096000754
5-fold, bipolar, illuminated rocker switch, power cord 3,0 m	0601x00052033	10	4012096004677
5-fold, bipolar, illuminated rocker switch, power cord 5,0 m *	0601x00052035	10	4012096005742
6-fold, power cord 1,5 m	0600x00062031	10	4012096000525
6-fold, power cord 3,0 m	0600x00062033	10	4012096005940
6-fold, power cord 5,0 m *	0600x00062035	10	4012096004295
7-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0601x00072031	10	4012096000761
7-fold, bipolar, illuminated rocker switch, power cord 3,0 m	0601x00072033	10	4012096005759
7-fold, bipolar, illuminated rocker switch, power cord 5,0 m *	0601x00072035	10	4012096005766
8-fold, power cord 1,5 m	0600x00082031	10	4012096000532
8-fold, power cord 3,0 m	0600x00082033	10	4012096005773
8-fold, power cord 5,0 m *	0600x00082035	10	4012096006138
9-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0601x00092031	10	4012096000778
9-fold, bipolar, illuminated rocker switch, power cord 3,0 m	0601x00092033	10	4012096006145
9-fold, bipolar, illuminated rocker switch, power cord 5,0 m *	0601x00092035	10	4012096005780
10-fold, power cord 1,5 m	0600x00102031	10	4012096000747
10-fold, power cord 3,0 m	0600x00102033	10	4012096006152
10-fold, power cord 5,0 m *	0600x00102035	10	4012096006169
11-fold, bipolar, illuminated rocker switch, power cord 1,5 m	0601x00112031	10	4012096000785
11-fold, bipolar, illuminated rocker switch, power cord 3,0 m	0601x00112033	10	4012096006183
11-fold, bipolar, illuminated rocker switch, power cord 5,0 m *	0601x00112035	10	4012096005995
12-fold, power cord 1,5 m	0600x00122031	10	4012096000549
12-fold, power cord 3,0 m	0600x00122033	10	4012096006176
12-fold, power cord 5,0 m *	0600x00122035	10	4012096005933



Overvoltage protection aluminium socket strip with acoustic failure indication, bipolar, illuminated rocker switch

5-fold, overvoltage protection, power cord 1,5 m	0606x00052031	10	4012096006008
--	---------------	----	---------------

Overvoltage protection (EN 61643-11 type 3) aluminum socket strip, acoustic signal, bipolar, illuminated rocker switch, line filter **NEW**

4-fold, overvoltage protection, line filter, power cord 1,5 m	0607x00042031	10	4012096009665
---	---------------	----	---------------




Master-Slave-PRO aluminum socket strips, precise switching threshold 7-100W

MS-PRO-Alu, 1x master, 3x slave, 1x USB-slave, power cord 1,5 m	0616x0a048001	10	4012096007517
MS-PRO-Alu, 1x master, 4x slave, 2x permanent, power cord 1,5 m	0615x00078001	10	4012096007524



USB aluminum socket strip

2-fold+3 double-USB charger, bipolar rocker switch, 5V DC max. 2,1A, power cord 1,5m	0601x0a02203301	10	4012096007708
2-fold+3 double-USB charger, bipolar rocker switch, 5V DC max. 2,1A, power cord 3m	0601x0a02203303	10	4012096007425
3 double-USB charger, bipolar rocker switch, 5V DC max. 2,1A, power cord 1,5 m	0601x09032031	10	4012096009016
3 double-USB charger, bipolar rocker switch, 5V DC max. 2,1A, power cord 3 m	0601x09032033	10	4012096007432
4-fold + 1 double-USB charger, bipolar rocker switch, 5V DC max. 2,4A, power cord 1,5m	0601x0a052031	10	4012096007951



Medical socket strips according to DIN EN 60601-1 and DIN EN ISO 80601-2-13

Versions with earth contact sockets, sockets type E, grounding pin, fuse, additional protective equipotential bonding and different power cords are available. We are looking forward to receiving your inquiry!

* Socket strips with 5m cord are available in industrial packaging only

Note: All our socket strips are also available in type E, French standard.

Note: All our plastic socket strips are also available with hinged lids.

PU = Packaging Unit

RRP = Recommended Retail Price

EHMANN Pro Socket Strips

As a manufacturer with production facilities in Germany, EhmANN is delighted to provide you with individually customized socket strips. Please do not hesitate to contact us if you have any special requirements or requests.